



2026

PRODUCT CATALOGUE



ABOUT SPECCO

Founded over a decade ago, SPECCO has grown into an international tools brand driven by manufacturing expertise, continuous product development, and a clear commitment to professional performance. We develop and supply a broad portfolio of corded and cordless power tools, woodworking tools, welding equipment, and hand tools for professional users and demanding applications. Today, SPECCO products are exported to more than 20 countries through a growing global distribution network.

VISION

To become a globally recognized tools brand by combining dependable quality, practical innovation, competitive performance, and long-term value for professionals in every market we serve.

MISSION

To continuously develop reliable, user-focused products, maintain consistent manufacturing and quality standards, and support our international partners with responsive service, strong product availability, and sustainable growth.



CORDLESS IMPACT DRILL	6
CORDLESS IMPACT WRENCH	6
CORDLESS ANGLE GRINDER	6
CORDLESS DEMOLITION HAMMER	7
CORDLESS ROTARY HAMMER	7
CORDLESS IMPACT DRILL	10
CORDLESS IMPACT WRENCH & DRIVER	12
CORDLESS IMPACT WRENCH	12
CORDLESS ROTARY HAMMER	14
CORDLESS ANGLE GRINDER	15
CORDLESS CIRCULAR SAW	16
CORDLESS RECIPROCATING SAW	16
CORDLESS JIGSAW	16
CORDLESS PRESSURE WASHER	17
CORDLESS BLOWER	17
FAST CHARGER	18
LI-ION BATTERY	18
LI-ION BATTERY	18
LI-ION BATTERY	18
CORDLESS DRILL & DRIVER	19
CORDLESS IMPACT DRILL & DRIVER	20
CORDLESS DRILL & DRIVER	21
CORDLESS IMPACT DRILL	21
CORDLESS SCREWDRIVER SET	21
CORDLESS IMPACT DRILL - TOOL ONLY	22
CORDLESS IMPACT WRENCH & DRIVER - TOOL ONLY	23
CORDLESS IMPACT WRENCH - TOOL ONLY	23
CORDLESS ROTARY HAMMER - TOOL ONLY	24
CORDLESS ANGLE GRINDER - TOOL ONLY	24
CORDLESS CIRCULAR SAW - TOOL ONLY	25
CORDLESS RECIPROCATING SAW - TOOL ONLY	25
CORDLESS JIGSAW - TOOL ONLY	26
CORDLESS BLOWER - TOOL ONLY	26
CORDLESS PRESSURE WASHER - TOOL ONLY	26
CORDLESS CHAINSAW - TOOL ONLY	27
CORDLESS PRUNING SAW - TOOL ONLY	27
CORDLESS PRUNING SHEARS - TOOL ONLY	27
CORDLESS GRASS TRIMMER - TOOL ONLY	27
CORDLESS DRILL & DRIVER	30
CORDLESS IMPACT DRILL	30
CORDLESS IMPACT WRENCH	31
CORDLESS ANGLE GRINDER	36
CORDLESS ROTARY HAMMER	36
CORDLESS HEAT GUN	36
CORDLESS PRUNING SAW	37
CORDLESS CHAINSAW	37
CORDLESS PRUNING SHEARS	37
CORDLESS LEAF BLOWER	37
4-PC BRUSHLESS CORDLESS TOOL SET	39
3-PC BRUSHLESS CORDLESS TOOL SET	39
2-PC CORDLESS GARDEN TOOL SET	40
2-PC BRUSHLESS CORDLESS TOOL SET	40
3-PC BRUSHLESS CORDLESS TOOL SET	41
LASER LEVEL	43
LASER DISTANCE METER	43
ELECTRIC ROTARY DRILL	44
ELECTRIC IMPACT DRILL	45
ELECTRIC DRYWALL SCREWDRIVER	47
ROTARY HAMMER	48
DEMOLITION HAMMER	50
ANGLE GRINDER	53
ANGLE GRINDER	55
POLISHER	57
SHORT DIE GRINDER	58
LONG DIE GRINDER	58
ELECTRIC PLANER	59
ORBITAL SANDER	59
RANDOM ORBIT SANDER	59
LAMINATE TRIMMER	60
ELECTRIC ROUTER	60
JIGSAW	61
CIRCULAR SAW	62
MARBLE CUTTER	63

METAL-CUTTING BAND SAW	63
SLIDING MITER SAW	64
DOUBLE-BEVEL SLIDING MITER SAW	64
MITER SAW	65
TABLE SAW	67
CONCRETE RING SAW	68
WALL CUTTER	68
CONCRETE PLANER	69
CONCRETE WALL CHASER	70
PRESSURE WASHER	72
CLEAN WATER SUBMERSIBLE PUMP	76
DIRTY WATER SUBMERSIBLE PUMP	76
CLEAN & DIRTY WATER SUBMERSIBLE PUMP	77
WATER PUMP	78
ELECTRIC BLOWER	79
PAINT SPRAYER	79
PAINT & MORTAR MIXER	80
BENCH GRINDER	81
ELECTRIC IMPACT WRENCH	82
CUT-OFF SAW	83
RECIPROCATING SAW	84
ROTARY TOOL SET	85
HEAT GUN	85
DRYWALL SANDER	86
TIRE INFLATOR	87
INDUSTRIAL VACUUM CLEANER	87
CORE DRILL	88
ANGLE-ADJUSTABLE CORE DRILL	88
MAGNETIC DRILL	89
DRILL PRESS	89
PIPE THREADING MACHINE	90
PRESSURE TEST PUMP	91
24 L SILENT AIR COMPRESSOR	92
50 L SILENT AIR COMPRESSOR	92
100 L SILENT AIR COMPRESSOR	92
24 L SILENT AIR COMPRESSOR	93
50 L SILENT AIR COMPRESSOR	93
100 L SILENT AIR COMPRESSOR	93
PNEUMATIC IMPACT WRENCH	94
PNEUMATIC STAPLER	95
PNEUMATIC NAILER	95
PNEUMATIC STAPLER & NAILER	95
CORDLESS GRASS TRIMMER	96
CORDLESS CHAINSAW	97
CORDLESS PRUNING SAW	97
CORDLESS PRUNING SHEARS	97
BOTTLE JACK	100
HYDRAULIC FLOOR JACK	102
ENGINE STAND	104
JACK STAND	104
MECHANIC'S CREEPER	105
ELECTRIC HOIST	106
CHAIN BLOCK	107
LEVER HOIST	107
COMBINATION PLIERS	108
DIAGONAL CUTTING PLIERS	108
LONG-NOSE PLIERS	108
ADJUSTABLE WRENCH	109
250 MM WATER PUMP PLIERS	109
SCREWDRIVER SET	109
HEX KEY SET (SHORT)	110
HEX KEY SET (LONG)	110
TORX KEY SET (SHORT)	110
TORX KEY SET (LONG)	110
SPIRIT LEVEL	111
MAGNETIC SPIRIT LEVEL	111
10-PC BIT SET	113
5-PC SDS-PLUS BIT SET	113
6-PC HSS DRILL BIT SET	113
FABRIC TOOL BAG	115
SINGLE STANT PACKAGE	117
DOUBLE STANT PACKAGE	118
TRIPLE STANT PACKAGE	119



TURK PATENT
TÜRK PATENT VE MARKA BÜYÜKLERİ

TRADEMARK RENEWAL CERTIFICATE
No: 2014 37960 - Ticaret

SPECCO

Trademark Owner
TOK TİCARET HİRDAVAT MAKİNA SANAYİ ANONİM ŞİRKETİ

Classes of Goods / Services
06, 07, 08, 09, 20

Following the application dated 07.05.2014, this trademark was registered on 16.04.2015 and, under Industrial Property Law No. 6769, has been renewed for 10 years effective from 07.05.2024.


Prof. Dr. M. Zeki DURAK
President of the Institution



intertek
Total Quality Assured

Test Verification of Conformity
Verification Number: 250900157HZH-V1

On the basis of the tests undertaken, the samples of the below product has been tested by an accredited 3rd party laboratory in accordance to the referenced specifications/standards at the time the tests were carried out. This verification is part of the full test report and should be read in conjunction with it.

This document can be used in support of a claim in meeting relevant EU Machinery Directive (MD) (2006/42/EC) legislation and mandatory Conformity Marking. And in accordance with EU law, the claim is the sole obligation of the Manufacturer/ importer.

Applicant Name & Address:	Wuyi Guangli Electromechanical Co., Ltd. Huzhaling Industrial Zone, Jiaodao Town, Wuyi County, Zhejiang Province, China
Product Description:	Air Compressor
Rated and Principal Characteristics:	220-240V~, 50Hz, 50W, 50W, Class I SP-2624LCE/SL, GARY-OF1824-1: 1150W, 24L SP-2650LCE/SL, GARY-OF1850-1: 1500W, 50L SP-26100LCE/SL, GARY-OF18100-1: 2200W, 100L
Model/Type References:	SP-2624LCE/SL, GARY-OF1824-1, SP-2650LCE/SL, GARY-OF1850-1, SP-26100LCE/SL, GARY-OF18100-1
Brand Names:	N/A
Specification/s/Standards:	EN 60204-1:2018 EN 10132-3:2010
Verification Issuing Office Name & Address:	Intertek Testing Services (Zhejiang) Ltd. Hangzhou Branch 4th Floor, Building 4B, No. 22, 22nd Street, Qiantang District Hangzhou, China 310018
Date of Tests:	2025-09-03 to 2025-11-04
Test Report Number(s):	250900157HZH-001, 250900157HZH-002

Signature 
Name: Prince Tang
Position: Manager
Date: 2025-11-19

The confirmation of the verification of conformity is based on the information provided by the applicant. The applicant is responsible for ensuring that the product conforms to the requirements of the applicable standards and that the information provided is accurate and complete. The verification is not a guarantee of the product's performance or safety. The verification is only valid for the product and configuration described in the certificate. The verification is not a substitute for the manufacturer's own testing and quality control. The verification is not a substitute for the manufacturer's own declaration of conformity. The verification is not a substitute for the manufacturer's own declaration of conformity. The verification is not a substitute for the manufacturer's own declaration of conformity.

Intertek Page 1 of 1 QFT-CP-11a (31 March 2022)



CEPROM® S.A.
EUROPEAN UNION CERTIFICATION
No. 1802

EC TYPE-EXAMINATION CERTIFICATE
No. 487.1-ET-12024

Technical File no. 487.1-ET-12024

Applicant: TOK TİCARET HİRDAVAT MAKİNA SAN. A.Ş.
Cengizdere Mah. Cengizdere Cad. No: 23 Bayraktar, Beşiktaş, İstanbul, Türkiye

Manufacturer: ZHANGJIAGANG SPECCO TOOLS CO., LTD.
Room 414, No. 8, Famenzi East Road, Tangzhuang Town, Zhangjiagang City, Jiangsu Province, P.R. China

Description of product:
Machine type: **TABLE MITRE SAW**
Model: **SP-9065, SP-9066, SP-9067, SP-9068, SP-9069**
Certification procedure: **EC Type-Examination**
Reference standards: **EN ISO 12186:2018, EN 61829-1:2009+11:2016, EN 40029-1:2012+14:1:2013**

Based on our assessment we confirm that the product is in accordance with the technical requirements of the above standards and hence fulfills the technical requirements of the Machinery Directive 2006/42/EC.

The manufacturer shall affix the CE marking to each product that is in conformity with those described in this EC type-examination certificate, after completion of the Declaration of Conformity and in accordance with the above directive.

This certificate is only valid for the product and configuration described (annex), in conjunction with the detailed technical and with all applicable legal requirement for the product.

Maintaining certification is based on compliance with the requirements of certification contract.

Annex: Product identification - 2 pages

Issuing Date: 29.11.2024
Expiry Date: 28.11.2029

GENERAL MANAGER
eng. Cristian SOPRONCE

CEPROM-CERT Manager
eng. Vasile ZELE

 EUROPEAN UNION
Bucuresti, ROMANIA

EN 40029

TESTPLUS

ATTESTATION OF COMPLIANCE
Nr.: 290824112909

Name and address of attestation owner:
TOK TİCARET HİRDAVAT MAKİNA SAN. A.Ş.
CENGİZDERE MAH. CENGİZDERE CAD. NO: 23 BEŞİKTAŞ, İSTANBUL, TÜRKİYE

Name and address of Manufacturer:
ZHANGJIAGANG SPECCO TOOLS CO., LTD.
ROOM 414, NO. 8, FAMENZI EAST ROAD, TANGZHUANG TOWN, ZHANGJIAGANG CITY, JIANGSU PROVINCE, P.R. CHINA

Product name:
CORDLESS CHAIN SAW

Trademark:
specco

Product type:
SP20V-4301

Variants:
SP10V-4004, SP12V-4005, SP14V-4006, SP16V-4007, SP18V-4008, SP20V-4009, SP22V-4010, SP24V-4011, SP26V-4012, SP28V-4013, SP30V-4014, SP32V-4015, SP34V-4016, SP36V-4017, SP38V-4018, SP40V-4019, SP42V-4020, SP44V-4021, SP46V-4022, SP48V-4023, SP50V-4024, SP52V-4025, SP54V-4026, SP56V-4027, SP58V-4028, SP60V-4029, SP62V-4030, SP64V-4031, SP66V-4032, SP68V-4033, SP70V-4034, SP72V-4035, SP74V-4036, SP76V-4037, SP78V-4038, SP80V-4039, SP82V-4040, SP84V-4041, SP86V-4042, SP88V-4043, SP90V-4044, SP92V-4045, SP94V-4046, SP96V-4047, SP98V-4048, SP100V-4049, SP102V-4050, SP104V-4051, SP106V-4052, SP108V-4053, SP110V-4054, SP112V-4055, SP114V-4056, SP116V-4057, SP118V-4058, SP120V-4059, SP122V-4060, SP124V-4061, SP126V-4062, SP128V-4063, SP130V-4064, SP132V-4065, SP134V-4066, SP136V-4067, SP138V-4068, SP140V-4069, SP142V-4070, SP144V-4071, SP146V-4072, SP148V-4073, SP150V-4074, SP152V-4075, SP154V-4076, SP156V-4077, SP158V-4078, SP160V-4079, SP162V-4080, SP164V-4081, SP166V-4082, SP168V-4083, SP170V-4084, SP172V-4085, SP174V-4086, SP176V-4087, SP178V-4088, SP180V-4089, SP182V-4090, SP184V-4091, SP186V-4092, SP188V-4093, SP190V-4094, SP192V-4095, SP194V-4096, SP196V-4097, SP198V-4098, SP200V-4099, SP202V-4100, SP204V-4101, SP206V-4102, SP208V-4103, SP210V-4104, SP212V-4105, SP214V-4106, SP216V-4107, SP218V-4108, SP220V-4109, SP222V-4110, SP224V-4111, SP226V-4112, SP228V-4113, SP230V-4114, SP232V-4115, SP234V-4116, SP236V-4117, SP238V-4118, SP240V-4119, SP242V-4120, SP244V-4121, SP246V-4122, SP248V-4123, SP250V-4124, SP252V-4125, SP254V-4126, SP256V-4127, SP258V-4128, SP260V-4129, SP262V-4130, SP264V-4131, SP266V-4132, SP268V-4133, SP270V-4134, SP272V-4135, SP274V-4136, SP276V-4137, SP278V-4138, SP280V-4139, SP282V-4140, SP284V-4141, SP286V-4142, SP288V-4143, SP290V-4144, SP292V-4145, SP294V-4146, SP296V-4147, SP298V-4148, SP300V-4149, SP302V-4150, SP304V-4151, SP306V-4152, SP308V-4153, SP310V-4154, SP312V-4155, SP314V-4156, SP316V-4157, SP318V-4158, SP320V-4159, SP322V-4160, SP324V-4161, SP326V-4162, SP328V-4163, SP330V-4164, SP332V-4165, SP334V-4166, SP336V-4167, SP338V-4168, SP340V-4169, SP342V-4170, SP344V-4171, SP346V-4172, SP348V-4173, SP350V-4174, SP352V-4175, SP354V-4176, SP356V-4177, SP358V-4178, SP360V-4179, SP362V-4180, SP364V-4181, SP366V-4182, SP368V-4183, SP370V-4184, SP372V-4185, SP374V-4186, SP376V-4187, SP378V-4188, SP380V-4189, SP382V-4190, SP384V-4191, SP386V-4192, SP388V-4193, SP390V-4194, SP392V-4195, SP394V-4196, SP396V-4197, SP398V-4198, SP400V-4199, SP402V-4200, SP404V-4201, SP406V-4202, SP408V-4203, SP410V-4204, SP412V-4205, SP414V-4206, SP416V-4207, SP418V-4208, SP420V-4209, SP422V-4210, SP424V-4211, SP426V-4212, SP428V-4213, SP430V-4214, SP432V-4215, SP434V-4216, SP436V-4217, SP438V-4218, SP440V-4219, SP442V-4220, SP444V-4221, SP446V-4222, SP448V-4223, SP450V-4224, SP452V-4225, SP454V-4226, SP456V-4227, SP458V-4228, SP460V-4229, SP462V-4230, SP464V-4231, SP466V-4232, SP468V-4233, SP470V-4234, SP472V-4235, SP474V-4236, SP476V-4237, SP478V-4238, SP480V-4239, SP482V-4240, SP484V-4241, SP486V-4242, SP488V-4243, SP490V-4244, SP492V-4245, SP494V-4246, SP496V-4247, SP498V-4248, SP500V-4249, SP502V-4250, SP504V-4251, SP506V-4252, SP508V-4253, SP510V-4254, SP512V-4255, SP514V-4256, SP516V-4257, SP518V-4258, SP520V-4259, SP522V-4260, SP524V-4261, SP526V-4262, SP528V-4263, SP530V-4264, SP532V-4265, SP534V-4266, SP536V-4267, SP538V-4268, SP540V-4269, SP542V-4270, SP544V-4271, SP546V-4272, SP548V-4273, SP550V-4274, SP552V-4275, SP554V-4276, SP556V-4277, SP558V-4278, SP560V-4279, SP562V-4280, SP564V-4281, SP566V-4282, SP568V-4283, SP570V-4284, SP572V-4285, SP574V-4286, SP576V-4287, SP578V-4288, SP580V-4289, SP582V-4290, SP584V-4291, SP586V-4292, SP588V-4293, SP590V-4294, SP592V-4295, SP594V-4296, SP596V-4297, SP598V-4298, SP600V-4299, SP602V-4300, SP604V-4301, SP606V-4302, SP608V-4303, SP610V-4304, SP612V-4305, SP614V-4306, SP616V-4307, SP618V-4308, SP620V-4309, SP622V-4310, SP624V-4311, SP626V-4312, SP628V-4313, SP630V-4314, SP632V-4315, SP634V-4316, SP636V-4317, SP638V-4318, SP640V-4319, SP642V-4320, SP644V-4321, SP646V-4322, SP648V-4323, SP650V-4324, SP652V-4325, SP654V-4326, SP656V-4327, SP658V-4328, SP660V-4329, SP662V-4330, SP664V-4331, SP666V-4332, SP668V-4333, SP670V-4334, SP672V-4335, SP674V-4336, SP676V-4337, SP678V-4338, SP680V-4339, SP682V-4340, SP684V-4341, SP686V-4342, SP688V-4343, SP690V-4344, SP692V-4345, SP694V-4346, SP696V-4347, SP698V-4348, SP700V-4349, SP702V-4350, SP704V-4351, SP706V-4352, SP708V-4353, SP710V-4354, SP712V-4355, SP714V-4356, SP716V-4357, SP718V-4358, SP720V-4359, SP722V-4360, SP724V-4361, SP726V-4362, SP728V-4363, SP730V-4364, SP732V-4365, SP734V-4366, SP736V-4367, SP738V-4368, SP740V-4369, SP742V-4370, SP744V-4371, SP746V-4372, SP748V-4373, SP750V-4374, SP752V-4375, SP754V-4376, SP756V-4377, SP758V-4378, SP760V-4379, SP762V-4380, SP764V-4381, SP766V-4382, SP768V-4383, SP770V-4384, SP772V-4385, SP774V-4386, SP776V-4387, SP778V-4388, SP780V-4389, SP782V-4390, SP784V-4391, SP786V-4392, SP788V-4393, SP790V-4394, SP792V-4395, SP794V-4396, SP796V-4397, SP798V-4398, SP800V-4399, SP802V-4400, SP804V-4401, SP806V-4402, SP808V-4403, SP810V-4404, SP812V-4405, SP814V-4406, SP816V-4407, SP818V-4408, SP820V-4409, SP822V-4410, SP824V-4411, SP826V-4412, SP828V-4413, SP830V-4414, SP832V-4415, SP834V-4416, SP836V-4417, SP838V-4418, SP840V-4419, SP842V-4420, SP844V-4421, SP846V-4422, SP848V-4423, SP850V-4424, SP852V-4425, SP854V-4426, SP856V-4427, SP858V-4428, SP860V-4429, SP862V-4430, SP864V-4431, SP866V-4432, SP868V-4433, SP870V-4434, SP872V-4435, SP874V-4436, SP876V-4437, SP878V-4438, SP880V-4439, SP882V-4440, SP884V-4441, SP886V-4442, SP888V-4443, SP890V-4444, SP892V-4445, SP894V-4446, SP896V-4447, SP898V-4448, SP900V-4449, SP902V-4450, SP904V-4451, SP906V-4452, SP908V-4453, SP910V-4454, SP912V-4455, SP914V-4456, SP916V-4457, SP918V-4458, SP920V-4459, SP922V-4460, SP924V-4461, SP926V-4462, SP928V-4463, SP930V-4464, SP932V-4465, SP934V-4466, SP936V-4467, SP938V-4468, SP940V-4469, SP942V-4470, SP944V-4471, SP946V-4472, SP948V-4473, SP950V-4474, SP952V-4475, SP954V-4476, SP956V-4477, SP958V-4478, SP960V-4479, SP962V-4480, SP964V-4481, SP966V-4482, SP968V-4483, SP970V-4484, SP972V-4485, SP974V-4486, SP976V-4487, SP978V-4488, SP980V-4489, SP982V-4490, SP984V-4491, SP986V-4492, SP988V-4493, SP990V-4494, SP992V-4495, SP994V-4496, SP996V-4497, SP998V-4498, SP1000V-4499, SP1002V-4500, SP1004V-4501, SP1006V-4502, SP1008V-4503, SP1010V-4504, SP1012V-4505, SP1014V-4506, SP1016V-4507, SP1018V-4508, SP1020V-4509, SP1022V-4510, SP1024V-4511, SP1026V-4512, SP1028V-4513, SP1030V-4514, SP1032V-4515, SP1034V-4516, SP1036V-4517, SP1038V-4518, SP1040V-4519, SP1042V-4520, SP1044V-4521, SP1046V-4522, SP1048V-4523, SP1050V-4524, SP1052V-4525, SP1054V-4526, SP1056V-4527, SP1058V-4528, SP1060V-4529, SP1062V-4530, SP1064V-4531, SP1066V-4532, SP1068V-4533, SP1070V-4534, SP1072V-4535, SP1074V-4536, SP1076V-4537, SP1078V-4538, SP1080V-4539, SP1082V-4540, SP1084V-4541, SP1086V-4542, SP1088V-4543, SP1090V-4544, SP1092V-4545, SP1094V-4546, SP1096V-4547, SP1098V-4548, SP1100V-4549, SP1102V-4550, SP1104V-4551, SP1106V-4552, SP1108V-4553, SP1110V-4554, SP1112V-4555, SP1114V-4556, SP1116V-4557, SP1118V-4558, SP1120V-4559, SP1122V-4560, SP1124V-4561, SP1126V-4562, SP1128V-4563, SP1130V-4564, SP1132V-4565, SP1134V-4566, SP1136V-4567, SP1138V-4568, SP1140V-4569, SP1142V-4570, SP1144V-4571, SP1146V-4572, SP1148V-4573, SP1150V-4574, SP1152V-4575, SP1154V-4576, SP1156V-4577, SP1158V-4578, SP1160V-4579, SP1162V-4580, SP1164V-4581, SP1166V-4582, SP1168V-4583, SP1170V-4584, SP1172V-4585, SP1174V-4586, SP1176V-4587, SP1178V-4588, SP1180V-4589, SP1182V-4590, SP1184V-4591, SP1186V-4592, SP1188V-4593, SP1190V-4594, SP1192V-4595, SP1194V-4596, SP1196V-4597, SP1198V-4598, SP1200V-4599, SP1202V-4600, SP1204V-4601, SP1206V-4602, SP1208V-4603, SP1210V-4604, SP1212V-4605, SP1214V-4606, SP1216V-4607, SP1218V-4608, SP1220V-4609, SP1222V-4610, SP1224V-4611, SP1226V-4612, SP1228V-4613, SP1230V-4614, SP1232V-4615, SP1234V-4616, SP1236V-4617, SP1238V-4618, SP1240V-4619, SP1242V-4620, SP1244V-4621, SP1246V-4622, SP1248V-4623, SP1250V-4624, SP1252V-4625, SP1254V-4626, SP1256V-4627, SP1258V-4628, SP1260V-4629, SP1262V-4630, SP1264V-4631, SP1266V-4632, SP1268V-4633, SP1270V-4634, SP1272V-4635, SP1274V-4636, SP1276V-4637, SP1278V-4638, SP1280V-4639, SP1282V-4640, SP1284V-4641, SP1286V-4642, SP1288V-4643, SP1290V-4644, SP1292V-4645, SP1294V-4646, SP1296V-4647, SP1298V-4648, SP1300V-4649, SP1302V-4650, SP1304V-4651, SP1306V-4652, SP1308V-4653, SP1310V-4654, SP1312V-4655, SP1314V-4656, SP1316V-4657, SP1318V-4658, SP1320V-4659, SP1322V-4660, SP1324V-4661, SP1326V-4662, SP1328V-4663, SP1330V-4664, SP1332V-4665, SP1334V-4666, SP1336V-4667, SP1338V-4668, SP1340V-4669, SP1342V-4670, SP1344V-4671, SP1346V-4672, SP1348V-4673, SP1350V-4674, SP1352V-4675, SP1354V-4676, SP1356V-4677, SP1358V-4678, SP1360V-4679, SP1362V-4680, SP1364V-4681, SP1366V-4682, SP1368V-4683, SP1370V-4684, SP1372V-4685, SP1374V-4686, SP1376V-4687, SP1378V-4688, SP1380V-4689, SP1382V-4690, SP1384V-4691, SP1386V-4692, SP1388V-4693, SP1390V-4694, SP1392V-4695, SP1394V-4696, SP1396V-4697, SP1398V-4698, SP1400V-4699, SP1402V-4700, SP1404V-4701, SP1406V-4702, SP1408V-4703, SP1410V-4704, SP1412V-4705, SP1414V-4706, SP1416V-4707, SP1418V-4708, SP1420V-4709, SP1422V-4710, SP1424V-4711, SP1426V-4712, SP1428V-4713, SP1430V-4714, SP1432V-4715, SP1434V-4716, SP1436V-4717, SP1438V-4718, SP1440V-4719, SP1442V-4720, SP1444V-4721, SP1446V-4722, SP1448V-4723, SP1450V-4724, SP1452V-4725, SP1454V-4726, SP1456V-4727, SP1458V-4728, SP1460V-4729, SP1462V-4730, SP1464V-4731, SP1466V-4732, SP1468V-4733, SP1470V-4734, SP1472V-4735, SP1474V-4736, SP1476V-4737, SP1478V-4738, SP1480V-4739, SP1482V-4740, SP1484V-4741, SP1486V-4742, SP1488V-4743, SP1490V-4744, SP1492V-4745, SP1494V-4746, SP1496V-4747, SP1498V-4748, SP1500V-4749, SP1502V-4750, SP1504V-4751, SP1506V-4752, SP1508V-4753, SP1510V-4754, SP1512V-4755, SP1514V-4756, SP1516V-4757, SP1518V-4758, SP1520V-4759, SP1522V-4760, SP1524V-4761, SP1526V-4762, SP1528V-4763, SP1530V-4764, SP1532V-4765, SP1534V-4766, SP1536V-4767, SP1538V-4768, SP1540V-4769, SP1542V-4770, SP1544V-4771, SP1546V-4772, SP1548V-4773, SP1550V-4774, SP1552V-4775, SP1554V-4776, SP1556V-4777, SP1558V-4778, SP1560V-4779, SP1562V-4780, SP1564V-4781, SP1566V-4782, SP1568V-4783, SP1570V-4784, SP1572V-4785, SP1574V-4786, SP1576V-4787, SP1578V-4788, SP1580V-4789, SP1582V-4790, SP1584V-4791, SP1586V-4792, SP1588V-4793, SP1590V-4794, SP1592V-4795, SP1594V-4796, SP1596V-4797, SP1598V-4798, SP1600V-4799, SP1602V-4800, SP1604V-4801, SP1606V-4802, SP1608V-4803, SP1610V-4804, SP1612V-4805, SP1614V-4806, SP1616V-4807, SP1618V-4808, SP1620V-4809, SP1622V-4810, SP1624V-4811, SP1626V-4812, SP1628V-4813, SP1630V-4814, SP1632V-4815, SP1634V-4816, SP1636V-4817, SP1638V-4818, SP1640V-4819, SP1642V-4820, SP1644V-4821, SP1646V-4822, SP1648V-4823, SP1650V-4824, SP1652V-4825, SP1654V-4826, SP1656V-4827, SP1658V-4828, SP1660V-4829, SP1662V-4830, SP1664V-4831, SP1666V-4832, SP1668V-4833, SP1670V-4834, SP1672V-4835, SP1674V-4836, SP1676V-4837, SP1678V-4838, SP1680V-4839, SP1682V-4840, SP1684V-4841, SP1686V-4842, SP1688V-4843, SP1690V-4844, SP1692V-4845, SP1694V-4846, SP1696V-4847, SP1698V-4848, SP1700V-4849, SP1702V-4850, SP1704V-4851, SP1706V-4852, SP1708V-4853, SP1710V-4854, SP1712V-

P40 PLATFORM





SP40V-ID160N.M CORDLESS IMPACT DRILL

 Voltage 40V	 Battery 4 Ah x 2 pcs
 Torque Settings 20+3	 Metal Chuck 13 mm
 Max. Torque 160 Nm	 No-load Speed 0-400 / 1600 RPM
 Weight 2.5 Kg	 Capacity Wood 25 mm / Metal 13 mm

 **Carton Qty.**
4



P40
PLATFORM

SP40V-IW1800N.M CORDLESS IMPACT WRENCH

 Voltage 40V	 Battery 4 Ah x 2 pcs
 Square Drive 3/4"	 Digital Torque Control
 Max. Torque 1800 Nm	 No-load Speed 0-950 / 1150-1800 RPM
 Weight 4 Kg	 Carton Qty. 3











P40
PLATFORM
1800 Nm torque

SP40V-AG115/125 CORDLESS ANGLE GRINDER

 Voltage 40V	 Battery 4 Ah x 2 pcs
 Disc Diameter 125 mm	 Digital Speed Control
 Spindle Thread M14	 No-load Speed 0-4000 / 8500 RPM
 Weight 2.5 Kg	 Carton Qty. 4



P40
PLATFORM

SP40V-RH4J/SDS**CORDLESS DEMOLITION HAMMER****SP40V-DH8J/SDS****CORDLESS ROTARY HAMMER**

specco®

Discover The Power



ALL IN

20V **BRUSHLESS**
MOTOR 



ALL IN ONE

SP20V-4040

CORDLESS IMPACT DRILL

 Voltage 20V	 Battery 2 Ah x 2 pcs
 Torque Settings 20+3	 Metal Chuck 10 mm
 Max. Torque 38 Nm	 No-load Speed 0-450 / 0-1500 RPM
 Weight 1 Kg	 Capacity Wood 36 mm / Metal 10 mm

 Carton Qty.
5



SP20V-4041

CORDLESS IMPACT DRILL

 Voltage 20V	 Battery 4 Ah x 2 pcs
 Torque Settings 20+3	 Metal Chuck 13 mm
 Max. Torque 80 Nm	 No-load Speed 0-550 / 0-1800 RPM
 Weight 1.5 Kg	 Capacity Wood 36 mm / Metal 13 mm

 Carton Qty.
5



SP20V-4041A

CORDLESS IMPACT DRILL

 Voltage 20V	 Battery 4 Ah x 2 pcs
 Torque Settings 20+3	 Metal Chuck 13 mm
 Max. Torque 165 Nm	 No-load Speed 0-550 / 0-1800 RPM
 Weight 1.8 Kg	 Auto-Stop Function

 Carton Qty.
5





SP20V-4044

CORDLESS IMPACT WRENCH & DRIVER

 Voltage
20V

 Battery
4 Ah x 2 pcs

 Square Drive
1/2"

 Digital Torque Control

 Max. Torque
280 Nm

 No-load Speed
0-2400 / 3000 RPM

 Weight
1.2 Kg

 Carton Qty.
5



SP20V-4050

CORDLESS IMPACT WRENCH

 Voltage
20V

 Battery
4 Ah x 2 pcs

 Square Drive
1/2"

 Digital Torque Control

 Max. Torque
500 Nm

 No-load Speed
0-1000 / 1600-2200 RPM

 Weight
1.5 Kg

 Carton Qty.
5



SP20V-4050A

CORDLESS IMPACT WRENCH

 Voltage
20V

 Battery
4 Ah x 2 pcs

 Square Drive
1/2"

 No-load Speed
0-2400 / 3000 RPM

 Max. Torque
1200 Nm

 Weight
1.5 Kg

 Carton Qty.
5





SP20V-4047

CORDLESS ROTARY HAMMER

 Voltage 20V	 Battery 4 Ah x 2 pcs
 Impact Energy 2 J	 Impact Rate 4700 BPM
 3 Operating Functions	 No-load Speed 0-1400 RPM
 Weight 2.2 Kg	 Accessories 3 SDS-Plus Bits

 **Carton Qty.**
5







SP20V-4049

CORDLESS ROTARY HAMMER

 Voltage 20V	 Battery 4 Ah x 2 pcs
 Impact Energy 1.2 J	 Impact Rate 5000 BPM
 3 Operating Functions	 No-load Speed 0-900 RPM
 Weight 1.7 Kg	 Accessories 3 SDS-Plus Bits

 **Carton Qty.**
5







SP20V-4042**CORDLESS ANGLE GRINDER**

20V BRUSHLESS
MOTOR **PRO**



Digital Speed Control

**SP20V-4042B****CORDLESS ANGLE GRINDER**

20V BRUSHLESS
MOTOR



Digital Speed Control



SP20V-4070

CORDLESS CIRCULAR SAW

 **Voltage**
20V

 **Battery**
2 Ah x 2 pcs

 **Disc Diameter**
165 mm

 **No-load Speed**
7000 RPM

 **Weight**
3 Kg

 **1 Saw Blade Included**

 **Carton Qty.**
4



20V BRUSHLESS MOTOR



SP20V-4045

CORDLESS RECIPROCATING SAW

 **Voltage**
20V

 **Battery**
4 Ah x 2 pcs

 **Length**
22 mm

 **Tool-Free Blade Change**

 **No-load Speed**
0-3300 RPM

 **1 Metal Blade / 1 Wood Blade**

 **Weight**
1.7 Kg

 **Carton Qty.**
5



20V BRUSHLESS MOTOR



SP20V-5052

CORDLESS JIGSAW

 **Voltage**
20V

 **Battery**
2 Ah x 2 pcs

 **Power**
600 W

 **No-load Speed**
500-3000 RPM

 **2 Jigsaw Blades**
Blade

 **Cutting Depth**
Metal 10 mm / Wood 135 mm
Length 26 mm

 **Weight**
2 Kg

 **Carton Qty.**
5



20V BRUSHLESS MOTOR



SP20V-4048**CORDLESS PRESSURE WASHER**

Voltage
20V



Max. Pressure
30 Bar



Runtime
Max. 30 min



Weight
1 Kg



Battery
2 Ah x 2 pcs



Water Flow
3.3 L/min



No-load Speed
0-3300 RPM



2 Nozzles +
1 Detergent Bottle



Carton Qty.
5



X2

SP20V-4046**CORDLESS BLOWER**

Voltage
20V



Air Speed
75 m/s



Speed Control



Weight
1 Kg



Battery
2 Ah x 2 pcs



Airflow
2.5 m³/min



No-load Speed
17000 RPM



90° Pivoting Handle



Carton Qty.
8



X2



FAST CHARGER



CODE	INPUT VOLTAGE	OUTPUT VOLTAGE	WEIGHT
SP20V-4020	100-240V	21V	0.4 Kg
BS20V-4000	100-240V	21V	0.4 Kg
BS20V-4000/N	100-240V	21V	0.4 Kg

LI-ION BATTERY



CODE	VOLTAGE	BATTERY CAPACITY	WEIGHT
SP20V-4005	20V	2.0Ah	0.3 Kg
SP20V-4006	20V	4.0Ah	0.7 Kg
SP20V-4003	20V	5.0Ah	0.7 Kg

LI-ION BATTERY

SPARK



CODE	VOLTAGE	BATTERY CAPACITY	WEIGHT
BS20V-4002	20V	2.0Ah	0.3 Kg
BS20V-4004	20V	4.0Ah	0.7 Kg

LI-ION BATTERY

SPARK



CODE	VOLTAGE	BATTERY CAPACITY	WEIGHT
BS20V-4004/10C	20V	4.0Ah	0.7 Kg
BS20V-4006/10C	20V	6.0Ah	0.9 Kg



3.6V / 12V / 14.4V / 16V / 18V

CORDLESS DRILL & DRIVER

SP12V-4011

CORDLESS DRILL & DRIVER

- Voltage
12V
- Torque Settings
17+1
- Max. Torque
24 Nm
- Bit Set
- Weight
1.3 Kg
-

- Battery
1.5 Ah x 2 pcs
- Otomatik Chuck
10 mm
- No-load Speed
0-400 / 0-1350 RPM
- Capacity
Wood 20 mm / Metal 10 mm
- Carton Qty.
5



SP12V-4012

CORDLESS DRILL & DRIVER

- Voltage
12V
- Torque Settings
17+1
- Max. Torque
24 Nm
- Weight
1.3 Kg
-

- Battery
1.5 Ah x 1 pcs
- Otomatik Chuck
10 mm
- No-load Speed
0-400 / 0-1350 RPM
- Capacity
Wood 20 mm / Metal 10 mm

Carton Qty.
10



SP16V-4016

CORDLESS IMPACT DRILL & DRIVER

 **Voltage**
16V

 **Battery**
2 Ah x 2 pcs

 **Torque Settings**
20+3

 **No-load Speed**
0-400 / 0-1450 RPM

 **Max. Torque**
60 Nm

 **Weight**
1.5 Kg

 **Carton Qty.**
5








Bit Set


X2




20V 
BRUSHLESS MOTOR
X-POWER
60 Nm torque



SP14V-4021**CORDLESS DRILL & DRIVER****SP18V-4026****CORDLESS IMPACT DRILL****SP3.6V-3011****CORDLESS SCREWDRIVER SET**

SP20V-4040S

CORDLESS IMPACT DRILL - TOOL ONLY



Voltage
20V



Metal Chuck
10 mm



Max. Torque
20+3



No-load Speed
0-450 / 0-1500 RPM



Max. Torque
38 Nm



Capacity
Wood 36 mm / Metal 10 mm



Weight
1 Kg



20V BRUSHLESS MOTOR



SP20V-4041S

CORDLESS IMPACT DRILL - TOOL ONLY



Voltage
20V



Metal Chuck
10 mm



Max. Torque
20+3



No-load Speed
0-550 / 0-1800 RPM



Max. Torque
80 Nm



Capacity
Wood 36 mm / Metal 13 mm



Weight
1.5 Kg



20V BRUSHLESS MOTOR
PRO
80 Nm torque



SP20V-4041AS

CORDLESS IMPACT DRILL



Voltage
20V



Metal Chuck
13 mm



Torque Settings
20+3



No-load Speed
0-550 / 0-1800 RPM



Max. Torque
165 Nm



Auto-Stop Function



Weight
1.8 Kg



Carton Qty.
5



SP20V-4044S**CORDLESS IMPACT WRENCH & DRIVER - TOOL ONLY**

Voltage
20V



Square Drive
1/2"



Max. Torque
280 Nm



Digital Torque Control



No-load Speed
0-2400 / 3000 RPM



Weight
1.2 Kg



20V **BRUSHLESS**
MOTOR

**SP20V-4050S****CORDLESS IMPACT WRENCH - TOOL ONLY**

Voltage
20V



Square Drive
1/2"



Max. Torque
500 Nm



Digital Torque Control



No-load Speed
0-1000 / 1600-2200 RPM



Weight
1.2 Kg

20V **BRUSHLESS**
PRO
MOTOR

**SP20V-4050AS****CORDLESS IMPACT WRENCH - TOOL ONLY**

Voltage
20V



Square Drive
1/2"



Max. Torque
1200 Nm



Digital Torque Control



No-load Speed
0-1000 / 1600-2200 RPM



Weight
1.5 Kg

20V **BRUSHLESS**
XPOWER
MOTOR



SP20V-4047S

CORDLESS ROTARY HAMMER - TOOL ONLY



Voltage
20V



Impact Energy
2 J



3 Operating Functions



Impact Rate
4700 BPM



No-load Speed
0-1400 RPM



Accessories
3 SDS-Plus Bits



Weight
2.2 Kg



SP20V-4049S

CORDLESS ROTARY HAMMER - TOOL ONLY



Voltage
20V



Impact Energy
1.2 J



2 Operating Functions



Impact Rate
5000 BPM



No-load Speed
0-900 RPM



Accessories
3 SDS-Plus Bits



Weight
1.7 Kg



SP20V-4042S

CORDLESS ANGLE GRINDER - TOOL ONLY



Voltage
20V



Disc Diameter
115/125 mm



Spindle Thread
M14



Digital Speed Control



No-load Speed
0-5000 / 8500 RPM



Weight
1.5 Kg



20V BRUSHLESS MOTOR PRO



Digital Speed Control

SP20V-4042BS CORDLESS ANGLE GRINDER - TOOL ONLY

 Voltage
20V

 Disc Diameter
115/125 mm

 Spindle Thread
M14

 Digital Speed Control

 No-load Speed
0-5000 / 8500 RPM

 Weight
1.5 Kg

20V **BRUSHLESS** MOTOR



Digital Speed Control


SP20V-4070S CORDLESS CIRCULAR SAW - TOOL ONLY

 Voltage
20V

 Disc Diameter
165 mm

 No-load Speed
7000 RPM

 Weight
3 Kg

 1 Saw Blade Included

20V **BRUSHLESS** MOTOR


SP20V-4045S CORDLESS RECIPROCATING SAW - TOOL ONLY

 Voltage
20V

 Length
22 mm

 Weight
1.7 Kg

 Tool-Free Blade Change

 No-load Speed
0-3300 RPM

 1 Metal Blade /
1 Wood Blade

20V **BRUSHLESS** MOTOR



SP20V-5052S

CORDLESS JIGSAW - TOOL ONLY

 **Voltage**
20V

 **Power**
600 W

 **Weight**
2 Kg

 **No-load Speed**
500-3000 RPM

 **2 Jigsaw Blades**

 **Cutting Depth**
Metal 10 mm / Wood 135 mm
Length 26 mm

20V BRUSHLESS MOTOR



SP20V-4046S

CORDLESS BLOWER - TOOL ONLY

 **Voltage**
20V

 **Air Speed**
75 m/s

 **Speed Control**

 **Airflow**
2.5 m³ /min

 **No-load Speed**
17000 RPM

 **90° Pivoting Handle**

 **Weight**
1 Kg



SP20V-4048S

CORDLESS PRESSURE WASHER - TOOL ONLY

 **Voltage**
20V

 **Max. Pressure**
30 Bar

 **Runtime**
Max. 30 min

 **Water Flow**
3.3 L/min

 **No-load Speed**
0-3300 RPM

 **2 Nozzles +
1 Detergent Bottle**

 **Weight**
1 Kg



SP20V-5057S**CORDLESS CHAINSAW - TOOL ONLY**

-  Voltage
20V
-  Power
800 W
-  Bar Length
30 cm

-  No-load Speed
3800 RPM
-  Max. Cutting Capacity
250 mm
-  Oil Tank
120 mL

 Weight
4 Kg



Emergency Brake

**20V** BRUSHLESS MOTOR**SP20V-5055S****CORDLESS PRUNING SAW - TOOL ONLY**

-  Voltage
20V
-  Power
400 W
-  Bar Length
15 cm

-  No-load Speed
3200 RPM
-  Max. Cutting Depth
120 mm
-  Manual Oil Pump
50 mL

 Weight
1.7 Kg



Pivoting Head

**20V** BRUSHLESS MOTOR**SP20V-5054S****CORDLESS PRUNING SHEARS - TOOL ONLY**

-  Voltage
20V
-  Blade Opening
10 / 20 / 30 mm

-  Motor Size
31*63 mm
-  Max. Cutting Capacity
30 mm

 Weight
1 Kg

**20V** BRUSHLESS MOTOR**SP20V-5056S****CORDLESS GRASS TRIMMER - TOOL ONLY**

-  Voltage
20V
-  Motor Size
775
-  Weight
1.5 Kg

-  No-load Speed
7600 RPM
-  Max. Trimming Diameter
30 cm
-  Rotating Handle + Telescopic Shaft

Rotating Handle

Telescopic Pole

**20V** BRUSHLESS MOTOR



**BLACK
SPARK**

BLACK SPARK

One Battery Powers to ALL



BS16V-1045

CORDLESS DRILL & DRIVER



Voltage
16V



Torque Settings
20+3



Max. Torque
45 Nm



Battery
2 Ah x 2 pcs



No-load Speed
0-400 / 0-1450 RPM



Weight
1 Kg



Carton Qty.
5



X2



20V **BRUSHLESS**
MOTOR
45 Nm torque



BS20V-1050

CORDLESS IMPACT DRILL



Voltage
20V



Torque Settings
20+3



Max. Torque
50 Nm



Weight
1 Kg



Battery
2 Ah x 2 pcs



Metal Chuck
10 mm



No-load Speed
0-450 / 0-1500 RPM



Capacity
Wood 36 mm / Metal 10 mm



Carton Qty.
5



20V **BRUSHLESS**
MOTOR



X2



BS20V-1380

CORDLESS IMPACT DRILL



Voltage
20V



Torque Settings
20+3



Max. Torque
80 Nm



Weight
1.5 Kg



Battery
4 Ah x 2 pcs



Metal Chuck
13 mm



No-load Speed
0-550 / 0-1800 RPM



Capacity
Wood 36 mm / Metal 13 mm



Carton Qty.
5



20V **BRUSHLESS**
MOTOR
80 Nm torque




X2



BS20V-350N

CORDLESS IMPACT WRENCH



Voltage
20V



Square Drive
1/2"



Max. Torque
350 Nm



Weight
1.2 Kg



Battery
4 Ah x 2 pcs



Digital Torque Control



No-load Speed
0-2400 / 3000 RPM



Carton Qty.
5



20V BRUSHLESS MOTOR



BS20V-600N

CORDLESS IMPACT WRENCH



Voltage
20V



Square Drive
1/2"



Max. Torque
600 Nm



Weight
2 Kg



Battery
4 Ah x 2 pcs



Digital Torque Control



No-load Speed
1800-2800 RPM



Carton Qty.
5



20V BRUSHLESS MOTOR



BS20V-850N

CORDLESS IMPACT WRENCH



Voltage
20V



Square Drive
1/2"



Max. Torque
850 Nm



Weight
2.3 Kg



Battery
4 Ah x 2 pcs



Digital Torque Control



No-load Speed
1200-2200 RPM



Carton Qty.
5



20V BRUSHLESS MOTOR



BS20V-1100N

CORDLESS IMPACT WRENCH

 **Voltage**
20V

 **Battery**
4 Ah x 2 pcs

 **Square Drive**
1/2"

 **Digital Torque Control**

 **Max. Torque**
1100 Nm

 **No-load Speed**
1400-2400 RPM

 **Weight**
2.4 Kg

 **Carton Qty.**
5



20V BRUSHLESS MOTOR

BS20V-1600N

CORDLESS IMPACT WRENCH

 **Voltage**
20V

 **Battery**
6 Ah x 2 pcs

 **Square Drive**
3/4"

 **Digital Torque Control**

 **Max. Torque**
1600 Nm

 **No-load Speed**
950-1800 RPM

 **Weight**
3.5 Kg

 **Carton Qty.**
3



20V BRUSHLESS MOTOR

Drive Adapter

BS20V-2000N

CORDLESS IMPACT WRENCH

 **Voltage**
20V

 **Battery**
6 Ah x 2 pcs

 **Square Drive**
3/4"

 **Digital Torque Control**

 **Max. Torque**
2000 Nm

 **No-load Speed**
950-1800 RPM

 **Weight**
4.1 Kg

 **Carton Qty.**
3



20V BRUSHLESS MOTOR

BS20V-1000N**CORDLESS IMPACT WRENCH**

Voltage
20V



Battery
4 Ah x 2 pcs



Square Drive
1/2"



Adjustable Torque



Max. Torque
350-1000 Nm



No-load Speed
1350-2650 RPM



Weight
3 Kg



Carton Qty.
3



specco
Discover The Power

Ayarlanabilir Somun Sökme

5 kademeli ayar sistemi



BS20V-320N

CORDLESS IMPACT WRENCH

 **Voltage**
20V

 **Battery**
2 Ah x 2 pcs

 **Square Drive**
1/2"

 **Digital Torque Control**

 **Max. Torque**
320 Nm

 **No-load Speed**
1600-2600 RPM

 **Weight**
4.5 Kg

 **Carton Qty.**
5



BS20V-2500N

CORDLESS IMPACT WRENCH

 **Voltage**
20V

 **Battery**
6 Ah x 2 pcs

 **Square Drive**
1"

 **Digital Torque Control**

 **Max. Torque**
2500 Nm

 **No-load Speed**
1250-1850 RPM

 **Weight**
4.5 Kg

 **Carton Qty.**
2



BS20V-3000N

CORDLESS IMPACT WRENCH

 **Voltage**
20V

 **Battery**
6 Ah x 2 pcs

 **Square Drive**
1"

 **Digital Torque Control**

 **Max. Torque**
3000 Nm

 **No-load Speed**
1250-2100 RPM

 **Weight**
15 Kg





BS20V-115/125A CORDLESS ANGLE GRINDER

Voltage
20V

Battery
4 Ah x 2 pcs

Disc Diameter
115/125 mm

Digital Speed Control

Spindle Thread
M14

No-load Speed
0-5000 / 8500 RPM

Weight
1.5 Kg

Carton Qty.
5



Digital Speed Control

BS20V-SDS26 CORDLESS ROTARY HAMMER

Voltage
20V

Battery
4 Ah x 2 pcs

Impact Energy
2 J

Impact Rate
4700 BPM

Weight
2.2 Kg

No-load Speed
0-1400 RPM

Carton Qty.
5



BS20V-HG500 CORDLESS HEAT GUN

Voltage
20V

Battery
2 Ah x 1 pcs

Temperature Levels
50 / 250 / 500

Airflow
200 / 100 / 200 L/min

Weight
1 Kg


Carton Qty.
5



BS20V-20CMS CORDLESS PRUNING SAW

 Voltage 20V	 Battery 2 Ah x 1 pcs
 Power 400W	 Max. Cutting Depth 120 mm
 Bar Length 20 cm	 No-load Speed 3200 RPM
 Weight 1.5 Kg	 Manual Oil Pump 60 mL

 Carton Qty.
5



20V BRUSHLESS MOTOR



BS20V-30CMS CORDLESS CHAINSAW

 Voltage 20V	 Battery 4 Ah x 1 pcs
 Power 400W	 Max. Cutting Capacity 250 mm
 Bar Length 30 cm	 No-load Speed 3200 RPM
 Weight 4 Kg	 Oil Tank 120 mL

 Carton Qty.
4




20V BRUSHLESS MOTOR



BS20V-PS30MM CORDLESS PRUNING SHEARS

 Voltage 20V	 Battery 2 Ah x 1 pcs
 Weight 1 Kg	 Blade Opening 20 / 25 / 30 mm

 Carton Qty.
5



20V BRUSHLESS MOTOR



BS20V-LV480 CORDLESS LEAF BLOWER

 Voltage 20V	 Battery 2 Ah x 1 pcs
 Air Speed 160 MPS	 Air Volume 480 VFS
 Weight 4 Kg	 Carton Qty. 4



20V BRUSHLESS MOTOR



specco
Discover The Power

BLACK SPARK SERİSİ

AKÜLÜ SETLER

GÜÇLÜ • DAYANIKLI • GÜVENİLİR

BS20V-001SET 4-PC BRUSHLESS CORDLESS TOOL SET



Voltage
20V



Battery
4 Ah x 2 pcs



Charger
1 pcs



Plastic Case



Carton Qty.
2

CORDLESS IMPACT DRILL (BS20V-1050)

CORDLESS IMPACT WRENCH (BS20V-350N)

CORDLESS ANGLE GRINDER (BS20V-115/125A)

CORDLESS ROTARY HAMMER (BS20V-SDS26)



BS20V-002SET 3-PC BRUSHLESS CORDLESS TOOL SET



Voltage
20V



Battery
4 Ah x 2 pcs



Charger
1 pcs



Plastic Case



Carton Qty.
2

CORDLESS IMPACT DRILL (BS20V-1050)

CORDLESS IMPACT WRENCH (BS20V-350N)

CORDLESS ANGLE GRINDER (BS20V-115/125A)



BS20V-003SET 2-PC CORDLESS GARDEN TOOL SET

 Voltage
20V

 Battery
4 Ah x 1 pcs

 Charger
1 pcs

 Carton Qty.
2

CORDLESS PRUNING SAW (BS20V-20CMS)

CORDLESS PRUNING SHEARS (BS20V-PS30MM)



BS16V-004SET 2-PC BRUSHLESS CORDLESS TOOL SET

 Voltage
16V

 Battery
2 Ah x 2 pcs

 Charger
1 pcs

 Plastic Case

 Carton Qty.
2

Cordless Drill (BS16V-1045)

Cordless Impact Driver (BS16V-140N)



BS20V-005SET 3-PC BRUSHLESS CORDLESS TOOL SET



Voltage
20V



Battery
4 Ah x 2 pcs



Charger
1 pcs



Plastic Case



Carton Qty.
2

CORDLESS IMPACT DRILL (BS20V-1050)

CORDLESS ANGLE GRINDER (BS20V-115/125A)

CORDLESS ROTARY HAMMER (BS20V-SDS26)



ÖLÇME ALETLERİ

Hassas ölçüm çözümleri



SPL-1020M2D LASER LEVEL

 Measuring Range 20 m	 Measuring Accuracy ± 2 mm / 10 mm
 Laser Class Class II / 1 mW	 Laser Type Green 515-520 nm
 Operating Time 8 h	 Battery Type 1.5 V Alkaline AA2
 Operating Temperature -20° - 70°	 Carton Qty. 20


SPL-1050M LASER DISTANCE METER

 Measuring Range 0.5-50 m	 Measuring Accuracy ± 2 mm
 Laser Class Class II	 Laser Type Green 515-635 nm
 Operating Temperature -10° - 40°	 Battery Type 3.7V Li-ion 350 mAh
 Carton Qty. 50	


SPL-10100M LASER DISTANCE METER

 Measuring Range 0.5-100 m	 Measuring Accuracy ± 2 mm
 Laser Class Class II	 Laser Type Green 515-635 nm
 Operating Temperature -10° - 40°	 Battery Type 3.7V Li-ion 350 mAh
 Carton Qty. 50	



PROFESSIONAL CORDED TOOLS HAND TOOLS

220V

SP-6011

ELECTRIC ROTARY DRILL



Power
450W



Plastik Chuck
6.5 mm



Voltage
220-240V



Frequency
50-60 Hz



Weight
1 Kg



No-load Speed
3500 RPM



Carton Qty.
10



SP-6020

ELECTRIC ROTARY DRILL



Power
450W



Plastik Chuck
10 mm



Voltage
220-240V



Frequency
50-60 Hz



Weight
1.3 Kg



No-load Speed
3300 RPM



Carton Qty.
10



SP-6021

ELECTRIC IMPACT DRILL



Power
650W



Voltage
220-240V



Weight
1.6 Kg



Metal Chuck
13 mm



Frequency
50-60 Hz



No-load Speed
2800 RPM



Carton Qty.
10



SP-6021A

ELECTRIC IMPACT DRILL



Power
650W



Voltage
220-240V



Weight
1.6 Kg



Plastik Chuck
13 mm



Frequency
50-60 Hz



No-load Speed
2800 RPM



Carton Qty.
10



SP-6015

ELECTRIC IMPACT DRILL



Power
710W



Voltage
220-240V



Weight
1.6 Kg



Metal Chuck
13 mm



Frequency
50-60 Hz



No-load Speed
2800 RPM



Carton Qty.
10



SP-6015A

ELECTRIC IMPACT DRILL



Power
710W



Plastik Chuck
13 mm



Voltage
220-240V



Frequency
50-60 Hz



Weight
1.6 Kg



No-load Speed
2800 RPM



Carton Qty.
10



SP-6014

ELECTRIC IMPACT DRILL



Power
750W



Plastik Chuck
13 mm



Voltage
220-240V



Frequency
50-60 Hz



Weight
1.6 Kg



No-load Speed
2800 RPM



Carton Qty.
10



PRO



SP-6022

ELECTRIC IMPACT DRILL



Power
850W



Metal Chuck
13 mm



Voltage
220-240V



Frequency
50-60 Hz



Weight
1.8Kg



No-load Speed
2800 RPM



Carton Qty.
10



SP-6022A

ELECTRIC IMPACT DRILL

 Power 850W	 Plastik Chuck 13 mm
 Voltage 220-240V	 Frequency 50-60 Hz
 Weight 1.7 Kg	 No-load Speed 2800 RPM

 **Carton Qty.**
4



SP-6016

ELECTRIC IMPACT DRILL

 Power 850W	 Metal Chuck 13 mm
 Voltage 220-240V	 Frequency 50-60 Hz
 Weight 1.6 Kg	 No-load Speed 2800 RPM

 **Carton Qty.**
10



SP-6016A

ELECTRIC IMPACT DRILL

 Power 850W	 Plastik Chuck 13 mm
 Voltage 220-240V	 Frequency 50-60 Hz
 Weight 1.6 Kg	 No-load Speed 2800 RPM

 **Carton Qty.**
10



SP-6017

ELECTRIC DRYWALL SCREWDRIVER

 Power 710W	 Capacity 4-8 mm
 Voltage 220-240V	 Frequency 50-60 Hz
 Max. Torque 18 Nm	 No-load Speed 4000 RPM
 Weight 1.5 Kg	 Carton Qty. 10



SP-7010A

ROTARY HAMMER



Power
700W / 2.2 J



Chuck
24 mm



Voltage
220-240V



Frequency
50-60 Hz



No-load Speed
870 RPM




3 Drill Bits



Weight
2.5 Kg



Carton Qty.
5



SP-7010

ROTARY HAMMER



Power
850W / 3 J



Chuck
26 mm



Voltage
220-240V



Frequency
50-60 Hz



No-load Speed
1100 RPM



**Additional Chuck +
4 Drill Bits**



Weight
3 Kg



Carton Qty.
5



SP-7011

ROTARY HAMMER



Power
850W / 3 J



Chuck
26 mm



Voltage
220-240V



Frequency
50-60 Hz



No-load Speed
1100 RPM



**3 Drill Bits + Flat Chisel +
Pointed Chisel**



Weight
3 Kg



Carton Qty.
5



SP-7012

ROTARY HAMMER



Power
1100W / 4.5 J



Voltage
220-240V



No-load Speed
800 RPM



Weight
4.8 Kg



Chuck
28 mm



Frequency
50-60 Hz



Impact Rate
4200 BPM



**3 Drill Bits + Flat Chisel +
Pointed Chisel**



Carton Qty.
3



SP-7013

ROTARY HAMMER



Power
1650W / 6 J



Voltage
220-240V



No-load Speed
800 RPM



Weight
5.2 Kg



Chuck
36 mm



Frequency
50-60 Hz



Impact Rate
4200 BPM



**3 Drill Bits + Flat Chisel +
Pointed Chisel**



Carton Qty.
3



SP-7015

ROTARY HAMMER

 **Power**
1500W / 10 J

 **Impact Rate**
4000 BPM

 **Voltage**
220-240V

 **Frequency**
50-60 Hz

 **Weight**
7 Kg

 **3 Drill Bits + Flat Chisel +
Pointed Chisel**

 **Carton Qty.**
2



SP-7023

DEMOLITION HAMMER

 **Power**
1500W / 20 J

 **Impact Rate**
3600 BPM

 **Voltage**
220-240V

 **Frequency**
50-60 Hz

 **Weight**
7 Kg

 **Flat Chisel + Pointed Chisel**

 **Carton Qty.**
2



SP-7022

DEMOLITION HAMMER

 **Power**
1500W / 27 J

 **Impact Rate**
1200 BPM

 **Voltage**
220-240V

 **Frequency**
50-60 Hz

 **Weight**
11 Kg

 **Flat Chisel + Pointed Chisel**

 **Carton Qty.**
1



SP-7021

DEMOLITION HAMMER



Power
1700W / 55 J



Voltage
220-240V



Weight
15.5 Kg



Impact Rate
1850 BPM



Frequency
50-60 Hz



Carton Qty.
1





SP-5015

ANGLE GRINDER



Power
750W



Disc Diameter
115 mm



Voltage
220-240V



Frequency
50-60 Hz



Weight
2 Kg



No-load Speed
11000 RPM



Carton Qty.
10



SP-5019

ANGLE GRINDER



Power
750W



Disc Diameter
115 mm



Voltage
220-240V



Frequency
50-60 Hz



Weight
2 Kg



No-load Speed
11000 RPM



Carton Qty.
10



Ergonomic,
Easy Grip

SP-5018

ANGLE GRINDER



Power
900W



Disc Diameter
115 mm



Voltage
220-240V



Frequency
50-60 Hz



Weight
2.3 Kg



No-load Speed
11000 RPM



Carton Qty.
10



1 Cutting Disc



SP-5017

ANGLE GRINDER



Power
1100W



Disc Diameter
115 mm



Voltage
220-240V



Frequency
50-60 Hz



Weight
2.3 Kg



No-load Speed
11000 RPM



Carton Qty.
10



SP-5017A

ANGLE GRINDER



Power
1100W



Disc Diameter
125 mm



Voltage
220-240V



Frequency
50-60 Hz



Weight
2.3 Kg



No-load Speed
11000 RPM



Carton Qty.
10



SP-5014

ANGLE GRINDER



Power
1200W



Disc Diameter
125 mm



Voltage
220-240V



Frequency
50-60 Hz



Weight
2.3 Kg



No-load Speed
11000 RPM



Carton Qty.
10



6-Speed Control

SP-5020

ANGLE GRINDER

 Power 2000W	 Disc Diameter 180 mm
 Voltage 220-240V	 Frequency 50-60 Hz
 Weight 4 Kg	 No-load Speed 8000 RPM

 **Carton Qty.**
2



Adjustable Handle

SP-5024

ANGLE GRINDER

 Power 2200W	 Disc Diameter 180 mm
 Voltage 220-240V	 Frequency 50-60 Hz
 Weight 5.2 Kg	 No-load Speed 8500 RPM

 **Carton Qty.**
2



Adjustable Handle

SP-5022

ANGLE GRINDER

 Power 2400W	 Disc Diameter 180 mm
 Voltage 220-240V	 Frequency 50-60 Hz
 Weight 5.2 Kg	 No-load Speed 8500 RPM

 **Carton Qty.**
2



SP-5026

ANGLE GRINDER

 Power 2600W	 Disc Diameter 180 mm
 Voltage 220-240V	 Frequency 50-60 Hz
 Weight 6.2 Kg	 No-load Speed 8000 RPM

 **Carton Qty.**
2



SP-5021

ANGLE GRINDER



Power
2000W



Disc Diameter
230 mm



Voltage
220-240V



Frequency
50-60 Hz



Weight
4 Kg



No-load Speed
6000 RPM



Carton Qty.
2



Adjustable Handle

SP-5025

ANGLE GRINDER



Power
2200W



Disc Diameter
230 mm



Voltage
220-240V



Frequency
50-60 Hz



Weight
5.5 Kg



No-load Speed
6000 RPM



Carton Qty.
2



Adjustable Handle

SP-5023

ANGLE GRINDER



Power
2400W



Disc Diameter
230 mm



Voltage
220-240V



Frequency
50-60 Hz



Weight
5.5 Kg



No-load Speed
6000 RPM



Carton Qty.
2



SP-5027

ANGLE GRINDER



Power
2600W



Voltage
220-240V



Weight
6.2 Kg



Disc Diameter
230 mm



Frequency
50-60 Hz



No-load Speed
6000 RPM



Carton Qty.
2



SP-5030

POLISHER



Power
1300W



Voltage
220-240V



Weight
3.2 Kg



Disc Diameter
180 mm



Frequency
50-60 Hz



No-load Speed
600-3000 RPM



Carton Qty.
4



SP-5041

SHORT DIE GRINDER



Power
650W



Collet Size
6 mm



Voltage
220-240V



Frequency
50-60 Hz



Weight
1.5 Kg



No-load Speed
5500-30000 RPM



Carton Qty.
10



SP-5042

LONG DIE GRINDER



Power
650W



Collet Size
6 mm



Voltage
220-240V



Frequency
50-60 Hz



Weight
1.6 Kg



No-load Speed
5500-30000 RPM



Carton Qty.
10



SP-9040

ELECTRIC PLANER

 Power 750W	 Width 82 mm
 Voltage 220-240V	 Depth 2 mm
 Weight 1.5 Kg	 No-load Speed 18000 RPM

 **Carton Qty.**
4



SP-9020

ORBITAL SANDER

 Power 280W	 Base Plate Size 100*110 mm
 Voltage 220-240V	 3 Spare Sanding Pads
 Weight 1.2 Kg	 No-load Speed 14500 RPM

 **Carton Qty.**
16




SP-9021

ORBITAL SANDER

 Power 320W	 Base Plate Size 90*180 mm
 Voltage 220-240V	 3 Spare Sanding Pads
 Weight 2 Kg	 No-load Speed 14000 RPM

 **Carton Qty.**
12




SP-9022

RANDOM ORBIT SANDER

 Power 400W	 Pad Diameter 125 mm
 Voltage 220-240V	 3 Spare Sanding Pads
 Weight 1.5 Kg	 No-load Speed 800-13500 RPM

 **Carton Qty.**
12



SP-9030

LAMINATE TRIMMER



Power
500W



Collet Size
6 mm



Voltage
220-240V



Frequency
50-60 Hz



Weight
2 Kg



No-load Speed
32000 RPM



Carton Qty.
8



SP-9031

ELECTRIC ROUTER



Power
1800W



Collet Size
6 - 8 - 12 - 1/4" - 1/2"



Voltage
220-240V



Frequency
50-60 Hz



Weight
6 Kg



No-load Speed
5500-30000 RPM



Carton Qty.
2



PRO



SP-9051

JIGSAW



Power
800W



Voltage
220-240V



Weight
2.5 Kg



Cutting Depth
Metal 6 mm / Wood 65 mm



Frequency
50-60 Hz



No-load Speed
0-2400 RPM



Carton Qty.
5



PRO



SP-9052

JIGSAW



Power
450W



Voltage
220-240V



Weight
1.5 Kg



Cutting Depth
Metal 6 mm / Wood 65 mm



Frequency
50-60 Hz



No-load Speed
0-2900 RPM



Carton Qty.
10



SP-9010

CIRCULAR SAW



Power
1600W



Voltage
220-240V



No-load Speed
5300 RPM



Weight
5 Kg



Disc Diameter
185 mm



Frequency
50-60 Hz



Cutting Capacity
66 mm



Blade Included



Carton Qty.
4



SP-9011

CIRCULAR SAW



Power
2200W



Voltage
220-240V



No-load Speed
4000 RPM



Weight
8 Kg



Disc Diameter
235 mm



Frequency
50-60 Hz



Cutting Capacity
85 mm



Blade Included



Carton Qty.
2



SP-9012

CIRCULAR SAW



Power
1350W



Voltage
220-240V



Cutting Depth
66 mm



Weight
5 Kg



Carton Qty.
4



Disc Diameter
185 mm



Frequency
50-60 Hz



Cutting Capacity
85 mm



No-load Speed
4500 RPM



Blade Included



SP-2560

MARBLE CUTTER



Power
1500W



Voltage
220-240V



Weight
3.5 Kg



Disc Diameter
115 mm



Frequency
50-60 Hz



No-load Speed
12500 RPM



Carton Qty.
6



SP-2590

METAL-CUTTING BAND SAW



Power
1400W



Voltage
220-240V



Weight
15 Kg



Blade Size
1141x13x0.65 mm



Frequency
50-60 Hz



Cutting Capacity
45°: 40x127 mm
90°: 127x127 mm



Carton Qty.
1



SP-9061

SLIDING MITER SAW



Power
1350W



Voltage
220-240V



Blade Diameter
254 mm



Head Rotation
0-45



Weight
14 Kg



Carton Qty.
1



Dimensions
10" (254 mm)



Frequency
50-60 Hz



Cutting Diameter
100T



No-load Speed
4800 RPM



Blade Included



Single Bevel



Max. Cutting Capacity
0°x45°: 46x146 mm
0°x90°: 70x146 mm
45°x45°: 35x104 mm
45°x90°: 70x104 mm



SP-9062

DOUBLE-BEVEL SLIDING MITER SAW



Power
2000W



Voltage
220-240V



Blade Diameter
305 mm



Weight
17 Kg



Carton Qty.
1



Dimensions
12" (305 mm)



Frequency
50-60 Hz



No-load Speed
4350 RPM



Blade Included



Double Bevel



Max. Cutting Capacity
0°x45°: 340x48 mm
0°x45°: 340x32 mm
45°x0°: 240x90 mm
45°x45°: 240x48 mm
45°x45°: 240x32 mm



SP-9060

MITER SAW



Power
2000W



Voltage
220-240V



Weight
11 Kg



Carton Qty.
1



Dimensions
10" (254 mm)



Frequency
50-60 Hz



No-load Speed
4800 RPM



Blade Included



Max. Cutting Capacity

0°x90°: 40x210 mm

45°x45°: 70x210 mm

45°x90°: 40x310 mm

(L) - 45°x45°: 45 mm(w) x 30 mm(h)

(R) - 45°x45°: 70 mm(w) x 30 mm(h)



SP-9065

MITER SAW



Power
1200W



Voltage
220-240V



Weight
14 Kg



Carton Qty.
1



Dimensions
8" (210 mm)



Frequency
50-60 Hz



No-load Speed
5300 RPM



Blade Included



Max. Cutting Capacity

90°x90°: 115 mm(w) x 55 mm(h)

90°x45°: 65 mm(w) x 55 mm(h)

45°x90°: 115 mm(w) x 35 mm(h)

(L) - 45°x45°: 45 mm(w) x 30 mm(h)

(R) - 45°x45°: 70 mm(w) x 30 mm(h)



SP-9066

MITER SAW



Power
2000W



Voltage
220-240V



Weight
18 Kg



Carton Qty.
1



Dimensions
10" (255 mm)



Frequency
50-60 Hz



No-load Speed
5300 RPM



Blade Included



Max. Cutting Capacity

0°x0°: 78x130 mm

0°x45°: 50x130 mm

45°x0°: 80x78 mm

45°x45°: 50x40 mm

45°x0°: 78x85 mm

45°x45°: 40x95 mm



SP-9067

MITER SAW



Power
2000W



Voltage
220-240V



Weight
20 Kg



Carton Qty.
1



Dimensions
12" (305 mm)



Frequency
50-60 Hz



No-load Speed
4200 RPM



Blade Included



Max. Cutting Capacity

0°x0°: 150x95 mm

0°x45°: 150x65 mm

45°x0°: 95x95 mm

45°(L) x 45°(L): 50x50 mm

45°(R) x 45°(L): 100x55 mm



SP-9070

TABLE SAW



Power
2000W



Blade Diameter
255x30x40 T



Weight
22 Kg



Cutting Capacity
410 mm



No-load Speed
5300 RPM



Carton Qty.
1



Table Dimensions
583x583 mm

(With side extensions: 583 x 893 mm)

0°: 85 mm

45°: 63 mm



SP-2562

CONCRETE RING SAW



Power
3000W



Blade Size
410 mm



Voltage
220-240V



Frequency
50-60 Hz



Cutting Depth
300 mm



No-load Speed
2000 RPM



Weight
14 Kg



SP-2563

WALL CUTTER



Power
3000W



Blade Size
350 mm



Voltage
220-240V



Frequency
50-60 Hz



Cutting Depth
160 mm



No-load Speed
4500 RPM



Weight
10 Kg



Carton Qty.
2



SP-2564

WALL CUTTER



Power
3000W



Voltage
220-240V



Cutting Depth
160 mm



Blade Size
350 mm



Frequency
50-60 Hz



No-load Speed
4500 RPM



Weight
22 Kg



SP-2565

CONCRETE PLANER



Power
3500W



Voltage
220-240V



Weight
8 Kg



No-load Speed
6500-25500 RPM



Frequency
50-60 Hz



Carton Qty.
2



SP-2566

CONCRETE WALL CHASER



Power
2000W



Blade Size
25 / 35 mm



Voltage
220-240V



Frequency
50-60 Hz



Weight
7.8 Kg



Carton Qty.
2



Cutting Depth / Width
25 / 35 mm



SP-2567

CONCRETE WALL CHASER



Power
1100W



Blade Size
25 / 35 mm



Voltage
220-240V



Frequency
50-60 Hz



Weight
7.2 Kg



Carton Qty.
2



Cutting Depth / Width
25 / 35 mm



SP-2568

CONCRETE WALL CHASER



Power
2600W



Blade Size
133 mm



Voltage
220-240V



Frequency
50-60 Hz



Cutting Depth
3-42 mm



Cutting Width
3-46 mm



Weight
7.7 Kg



Carton Qty.
2





SP-2017

PRESSURE WASHER



Power
1400W



Voltage
220-240V



Weight
6.9 Kg



Max. Pressure
105 Bar



Frequency
50-60 Hz



Water Flow
5 L /min



SP-2018

PRESSURE WASHER



Power
1650W



Voltage
220-240V



Weight
7.4 Kg



Max. Pressure
135 Bar



Frequency
50-60 Hz



Water Flow
5 L /min



SP-2019

PRESSURE WASHER



Power
2000W



Voltage
220-240V



Weight
9 Kg



Max. Pressure
160 Bar



Frequency
50-60 Hz



Water Flow
6 L /min



SP-2022

PRESSURE WASHER



Power
2000W



Max. Pressure
160 Bar



Voltage
220-240V



Frequency
50-60 Hz



Weight
15.8 Kg



Water Flow
6 L /min



Induction Motor



SP-2025

PRESSURE WASHER



Power
1500W



Max. Pressure
120 Bar



Voltage
220-240V



Frequency
50-60 Hz



Weight
7.8 Kg



Water Flow
6.8 L /min



Induction Motor
Motor



From Standing Water
Self-Priming Function



Carton Qty.
2



PRO



SP-2026

PRESSURE WASHER



Power
1800W



Max. Pressure
150 Bar



Voltage
220-240V



Frequency
50-60 Hz



Weight
10 Kg



Water Flow
7.5 L /min



Induction Motor
Motor



From Standing Water
Self-Priming Function



Carton Qty.
2



SP-2027

PRESSURE WASHER



Power
2800W



Voltage
220-240V



Weight
30 Kg



Induction Motor
Motor



Max. Pressure
195 Bar



Frequency
50-60 Hz



Water Flow
10 L /min



From Standing Water
Self-Priming Function





SP-2820

CLEAN WATER SUBMERSIBLE PUMP



Power
400W



Capacity
7.3 m³ /h



Voltage
220-240V



Frequency
50-60 Hz



Max. Head
7.5 m



Max. Immersion Depth
7 m



Weight
3.6 Kg



Cable Length
10 m



Carton Qty.
4



SP-2821

CLEAN WATER SUBMERSIBLE PUMP



Power
750W



Capacity
14 m³ /h



Voltage
220-240V



Frequency
50-60 Hz



Max. Head
8 m



Max. Immersion Depth
7 m



Weight
4.5 Kg



Cable Length
10 m



Carton Qty.
4



SP-2822

DIRTY WATER SUBMERSIBLE PUMP



Power
750W



Capacity
14 m³ /h



Voltage
220-240V



Frequency
50-60 Hz



Max. Head
8 m



Max. Immersion Depth
7 m



Weight
4.5 Kg



Cable Length
10 m



Carton Qty.
4



SP-2823

CLEAN WATER SUBMERSIBLE PUMP



Power
750W



Capacity
11 m³ /h



Voltage
220-240V



Frequency
50-60 Hz



Max. Head
8.5 m



Max. Immersion Depth
7 m



Weight
4.7 Kg



Cable Length
10 m



Carton Qty.
4



SP-2824

DIRTY WATER SUBMERSIBLE PUMP



Power
1100W



Capacity
17 m³ /h



Voltage
220-240V



Frequency
50-60 Hz



Max. Head
9 m



Max. Immersion Depth
7 m



Weight
5.8 Kg



Cable Length
10 m



Carton Qty.
4



SP-2825

CLEAN & DIRTY WATER SUBMERSIBLE PUMP



Power
750W



Capacity
12.5 m³ /h



Voltage
220-240V



Frequency
50-60 Hz



Max. Head
8 m



Max. Immersion Depth
7 m



Weight
4.5 Kg



Cable Length
10 m



Carton Qty.
4



SP-2810

WATER PUMP



Power
0.5 Hp



Voltage
220-240V



Max. Head
20 m



Weight
3.6 Kg



Capacity
1.7 m³ /h



Frequency
50-60 Hz



Cable Length
30 cm



Carton Qty.
6



SP-2811

WATER PUMP



Power
1 Hp



Voltage
220-240V



Max. Head
39 m



Weight
7 Kg



Capacity
2.5 m³ /min



Frequency
50-60 Hz



Cable Length
30 cm



Carton Qty.
6



SP-2010

ELECTRIC BLOWER



Power
400W



Airflow
3 m³ /min



Voltage
220-240V



Frequency
50-60 Hz



Weight
1.5 Kg



No-load Speed
0-14000 RPM



Carton Qty.
8



SP-2011

ELECTRIC BLOWER



Power
600W



Airflow
3 m³ /min



Voltage
220-240V



Frequency
50-60 Hz



Weight
1.7 Kg



No-load Speed
0-16000 RPM



Carton Qty.
6



SP-2060

PAINT SPRAYER



Power
550W



Nozzle
1.5-3 mm



Voltage
220-240V



Frequency
50-60 Hz



Capacity
800 mL




Water Flow
800 mL /min



Weight
1.5 Kg



Carton Qty.
10



SP-2015

PAINT & MORTAR MIXER



Power
1400W



Voltage
220-240V



Connection
M14



Weight
4.1 Kg



Mixer Size
120 mm



Frequency
50-60 Hz



Max. Mixing Capacity
60-100 L



No-load Speed
0-600 / 0-900 RPM



Carton Qty.
2



SP-2016

PAINT & MORTAR MIXER



Power
1600W



Voltage
220-240V



Connection
M14



Weight
5.5 Kg



Mixer Size
140 mm



Frequency
50-60 Hz



Max. Mixing Capacity
60-100 L



No-load Speed
0-600 / 0-900 RPM



Carton Qty.
2



SP-2114

PAINT & MORTAR MIXER



Power
1400W



Voltage
220-240V



Connection
M14



Weight
5.5 Kg



Mixer Size
120 mm



Frequency
50-60 Hz



Max. Mixing Capacity
60-100 L



No-load Speed
0-600 / 0-900 RPM



Carton Qty.
2



SP-2116

PAINT & MORTAR MIXER



Power
1600W



Voltage
220-240V



Connection
M14



Weight
5.5 Kg



Mixer Size
140 mm



Frequency
50-60 Hz



Max. Mixing Capacity
60-100 L



No-load Speed
0-600 / 0-900 RPM



Carton Qty.
2



Speed Control

SP-2075

BENCH GRINDER



Power
180W



Voltage
220-240V



Weight
5.5 Kg



Wheel Diameter
6" / 150 mm



Frequency
50-60 Hz



No-load Speed
2950 RPM



SP-2076

BENCH GRINDER



Power
350W



Voltage
220-240V



Weight
11 Kg



Wheel Diameter
8" / 200 mm



Frequency
50-60 Hz



No-load Speed
2950 RPM



SP-2077

BENCH GRINDER



Power
150W



Voltage
220-240V



Weight
5.5 Kg



Wheel Diameter
5" / 150 mm



Frequency
50-60 Hz



No-load Speed
2950 RPM



SP-2078

BENCH GRINDER



Power
250W



Voltage
220-240V



Weight
11 Kg



Wheel Diameter
7" / 200 mm



Frequency
50-60 Hz



No-load Speed
2950 RPM



SP-2051

CUT-OFF SAW



Power
2400W



Voltage
220-240V



Weight
17 Kg



Disc Diameter
355 mm



Frequency
50-60 Hz



No-load Speed
3800 RPM



SP-2052

CUT-OFF SAW



Power
2350W



Voltage
220-240V



Weight
15 Kg



Disc Diameter
355 mm



Frequency
50-60 Hz



No-load Speed
3800 RPM



SP-2055

RECIPROCATING SAW



Power
850W



Voltage
220-240V



No-load Speed
800-3000 RPM



Weight
2.8 Kg



Length
20 mm



Frequency
50-60 Hz



**1 Metal Blade /
1 Wood Blade**



Carton Qty.
4



SP-2056

RECIPROCATING SAW



Power
1100W



Voltage
220-240V



Capacity
0-2600 RPM



Weight
2.8 Kg



Length
28 mm



Frequency
50-60 Hz



**1 Metal Blade /
1 Wood Blade**



Carton Qty.
4



SP-2015

ROTARY TOOL SET



Power
135W



Voltage
220-240V



No-load Speed
0-28000 RPM



Weight
0.6 Kg



Collet Size
3 mm



Frequency
50-60 Hz



Accessories
211 pcs



Carton Qty.
10



SP-2040A

HEAT GUN



Power
2000W



Voltage
220-240V



Weight
0.8 Kg



Temperature
300-600 °C



Frequency
50-60 Hz



Air Output
300-500 L /min



Carton Qty.
10



SP-2041

HEAT GUN



Power
2000W



Voltage
220-240V



3-Stage Switch



Weight
1.1 Kg



Temperature
300-600 °C



Frequency
50-60 Hz



Air Output
300-500 L /min



Carton Qty.
10



SP-2550

DRYWALL SANDER



Power
850W



Voltage
220-240V



Weight
4.5 Kg



Pad Size
225 mm



Frequency
50-60 Hz



Sanding Size
230 mm



SP-2551

DRYWALL SANDER



Power
1050W



Voltage
220-240V



Weight
4.5 Kg



Pad Size
225 mm



Frequency
50-60 Hz



Sanding Size
230 mm



SP-2113

TIRE INFLATOR



Power
200W



Voltage
12V DC



Weight
2.5 Kg



Max. Pressure
Max. 150 PSI / 11 bar



Airflow
40 L /min



Fabric Bag



Carton Qty.
10



SP-2115

TIRE INFLATOR



Power
40W



Weight
0.6 Kg



Max. Pressure
Max. 150 PSI / 11 bar



Airflow
40 L/min



Carton Qty.
24



SP-2090

INDUSTRIAL VACUUM CLEANER



Power
3000W



HEPA Filter
3 Motors



Weight
26 Kg



Vacuum Pressure
20 kPa



Wet & Dry Cleaning



Tank Capacity
80 L

Stainless Steel Tank



SP-2592

CORE DRILL



Power
3200W



Voltage
220-240V



Weight
26 Kg



Drilling Capacity
265 mm



Frequency
50-60 Hz



No-load Speed
700 RPM



Carton Qty.
1



SP-2593

ANGLE-ADJUSTABLE CORE DRILL



Power
3200W



Voltage
220-240V



Tilting Stand
Stand



Weight
26 Kg



Drilling Capacity
265 mm



Frequency
50-60 Hz



No-load Speed
700 RPM



Carton Qty.
1



Wheeled Stand



Adjustable Angle



SP-2597

MAGNETIC DRILL



Power
1400W



Voltage
220-240V



Magnetic Force
11500 N



Drilling Capacity
30 mm



Frequency
50-60 Hz



Drilling Depth
50 mm



Weight
12 Kg



SP-2595

DRILL PRESS



Power
350W



Voltage
220-240V



Base Size
300*185 mm



Swing
210 mm



Height
580 mm



Frequency
50-60 Hz



Table Size
160*160 mm



No-load Speed
2620 RPM



Weight
16.5 Kg



SP-2596

DRILL PRESS



Power
550W



Voltage
220-240V



Base Size
420*250 mm



Swing
325 mm



Height
980 mm



Frequency
50-60 Hz



Table Size
290 mm



No-load Speed
2870 RPM



Weight
42 Kg



SP-2515

PIPE THREADING MACHINE



Power
1100W



Size
1/2" - 2"



Voltage
220-240V



Frequency
50-60 Hz



Speed
25 rpm



Speed Settings
1



Weight
60 Kg



SP-2516

PIPE THREADING MACHINE



Power
1100W



Size
1/2" - 3"



Voltage
220-240V



Frequency
50-60 Hz



Fast Speed (F)
27 rpm



Slow Speed (S)
11 rpm



Speed Settings
2



Weight
100 Kg



SP-2517

PIPE THREADING MACHINE



Power
1100W



Size
1/2" - 3"



Voltage
220-240V



Frequency
50-60 Hz



Fast Speed (F)
24 rpm



Slow Speed (S)
9 rpm



Speed Settings
2



Weight
120 Kg



SP-2514

PRESSURE TEST PUMP



Piston Volume
40 mL



Max. Pressure
0-50 Bar



Weight
8.5 Kg



Hose Length
150 cm



Dimensions
51x19x29 cm



SP-2624LCE/SL 24 L SILENT AIR COMPRESSOR

 **Power**
1100W

 **Voltage**
220-240V

 **Weight**
21.7 Kg

 **Max. Air Pressure**
8 Bar

 **Frequency**
50-60 Hz

 **Airflow**
210 L/min



SP-2650LCE/SL 50 L SILENT AIR COMPRESSOR

 **Power**
1500W

 **Voltage**
220-240V

 **Weight**
28.4 Kg

 **Max. Air Pressure**
8 Bar

 **Frequency**
50-60 Hz

 **Airflow**
254 L/min



SP-26100LCE/SL 100 L SILENT AIR COMPRESSOR

 **Power**
2200W

 **Voltage**
220-240V

 **Weight**
56.5 Kg

 **Max. Air Pressure**
8 Bar

 **Frequency**
50-60 Hz

 **Airflow**
420 L/min



SP-2624SL**24 L SILENT AIR COMPRESSOR**

Power
850W



Voltage
220-240V



Weight
18 Kg



Max. Air Pressure
8 Bar



Frequency
50-60 Hz



Airflow
90 L/min

**SP-2650SL****50 L SILENT AIR COMPRESSOR**

Power
850W



Voltage
220-240V



Weight
22 Kg



Max. Air Pressure
8 Bar



Frequency
50-60 Hz



Airflow
90 L/min

**SP-26100SL****100 L SILENT AIR COMPRESSOR**

Power
1700W



Voltage
220-240V



Weight
62 Kg



Max. Air Pressure
8 Bar



Frequency
50-60 Hz



Airflow
270 L/min



SP-2670

PNEUMATIC IMPACT WRENCH



Max. Torque
1100 Nm



Max. Air Pressure
8 Bar



Square Drive
1/2"



Airflow
120 L /min



Composite Housing



No-load Speed
0-7400 RPM



Carton Qty.
8



SP-2671

PNEUMATIC IMPACT WRENCH



Max. Torque
2000 Nm



Max. Air Pressure
8 Bar



Square Drive
3/4"



Airflow
200 L /min



Carton Qty.
2



No-load Speed
0-3400 RPM



SP-2672

PNEUMATIC IMPACT WRENCH



Max. Torque
2600 Nm



Max. Air Pressure
8 Bar



Square Drive
1"



Airflow
250 L/min



Carton Qty.
2



No-load Speed
0-4000 RPM



SP-2660

PNEUMATIC STAPLER



Staple Size
8-16 mm



Staple Capacity
100 pcs



Weight
0.85 Kg



Working Pressure
0.4-0.8 MPa



Carton Qty.
20



SP-2661

PNEUMATIC NAILER



Nail Size
10-50 mm



Staple Capacity
100 pcs



Weight
1.3 Kg



Working Pressure
0.4-0.8 MPa



Carton Qty.
10



SP-2662

PNEUMATIC STAPLER & NAILER



Staple Size
8-16 mm



Nail Size
10-50 mm



Working Pressure
0.85 Kg





Staple / Nail Capacity
100 pcs



Weight
0.85 Kg



Carton Qty.
20



SP20V-5056

CORDLESS GRASS TRIMMER



Voltage
20V



Motor Size
775



No-load Speed
7600 RPM



Weight
2.5 Kg



Battery
2 Ah x 1 pcs




Max. Trimming Diameter
30 cm





**Telescopic Shaft +
Rotating Handle**







Carton Qty.
4








SP20V-5057**CORDLESS CHAINSAW**

Emergency Brake

**20V BRUSHLESS MOTOR****SP20V-5055****CORDLESS PRUNING SAW**

Pivoting Head

**20V BRUSHLESS MOTOR****SP20V-5054****CORDLESS PRUNING SHEARS****20V BRUSHLESS MOTOR**

SP-3020

GASOLINE CHAINSAW



Power
2400W



Guide Bar
20"



Displacement
58 cc



Fuel Tank Capacity
550 mL



Weight
6.5 kg



Rated Speed
2800-3200 RPM



SP-3021

GASOLINE CHAINSAW



Power
2200W



Guide Bar
18"



Displacement
52 cc



Fuel Tank Capacity
550 mL



Weight
6.5 kg



Rated Speed
2800-3200 RPM



SP-3031**GASOLINE MULTIFUNCTION GRASS TRIMMER**

Power
1450W / 52 cc



Pole Saw
8" chain and bar



Blade Cutting Width
255 mm



Pole Hedge Trimmer
16" blade



Trimmer Cutting Width
440 mm



Fuel Tank Volume
1.2 L



No-load Speed
3000 RPM



Shaft Tube Length
1500 mm



Weight
9.5 kg



Shaft Tube Diameter
26 mm

**SP-3040****GASOLINE LAWN MOWER**

Engine Type
KV150



Displacement
150 cc



Maximum Power
2.5 kW



Grass Catcher
40 L



Engine Speed
2800-2900 RPM



Handle Type
D Type



Fuel Tank Capacity
0.8 L



Cutting Height
30-75 mm, 5 positions



Oil Tank Capacity
0.5 L



Wheel Size
6" / 8"



Cutting Width
410 mm



Deck Material
Plastic



Noise Level
96 dB



KALDIRMA EKİPMANLARI





SP-2570

BOTTLE JACK



Lifting Capacity
2 Ton



Min. Height
180 mm



Weight
2.9 Kg



Lifting Height
110 mm



Adjustable Height
60 mm



Carton Qty.
10



SP-2571

BOTTLE JACK



Lifting Capacity
3 Ton



Min. Height
180 mm



Weight
3.6 Kg



Lifting Height
110 mm



Adjustable Height
60 mm



Carton Qty.
8



SP-2572

BOTTLE JACK



Lifting Capacity
5 Ton



Min. Height
195 mm



Weight
4.8 Kg



Lifting Height
125 mm



Adjustable Height
60 mm



Carton Qty.
6



SP-2573

BOTTLE JACK



Lifting Capacity
10 Ton



Min. Height
200 mm



Weight
6.8 Kg



Lifting Height
125 mm



Adjustable Height
60 mm



Carton Qty.
4



SP-2574

BOTTLE JACK



Lifting Capacity
15 Ton



Min. Height
255 mm



Weight
8.9 Kg



Lifting Height
145 mm



Adjustable Height
60 mm



Carton Qty.
2



SP-2575

BOTTLE JACK



Lifting Capacity
20 Ton



Min. Height
235 mm



Weight
11.5 Kg



Lifting Height
150 mm



Adjustable Height
60 mm



Carton Qty.
2



SP-2576

BOTTLE JACK



Lifting Capacity
32 Ton



Min. Height
255 mm



Weight
21 Kg



Lifting Height
160 mm



Adjustable Height
60 mm



Carton Qty.
2



SP-2577

BOTTLE JACK



Lifting Capacity
50 Ton



Min. Height
255 mm



Weight
21 Kg



Lifting Height
160 mm



Adjustable Height
60 mm



Carton Qty.
1



SP-2580

HYDRAULIC FLOOR JACK




Capacity
2 Ton



Lifting Height
130-300 mm



Dimensions
412x185x125 mm



SP-2581

HYDRAULIC FLOOR JACK



Capacity
3 Ton



Lifting Height
75-505 mm



Dimensions
725x350x162 mm





SP-2584

ENGINE STAND



Capacity
0.5 Ton



Weight
20 Kg



Dimensions
890x780x850 mm



SP-2585

FOLDABLE ENGINE STAND



Capacity
0.9 Ton



Weight
40 Kg



Dimensions
1100x600x860 mm



SP-2586

JACK STAND



Capacity
3 Ton



SP-2587**VERTICAL TRANSMISSION JACK**

Capacity
0.5 Ton



Dimensions
570x570x1100 mm



Min. Height
1000 mm



Max. Height
1900 mm



Weight
28 Kg

**SP-2588-2T****ENGINE CRANE**

Capacity
2 Ton



Lifting Range
2200 mm



Weight
75 Kg



Crane Length
1470 mm

**SP-2589****MECHANIC'S CREEPER**

Dimensions
900 mm (36")



ELECTRIC HOIST

SP-2540

-  **Power**
550W
-  **Load Capacity**
125/250 Kg
-  **Cable Length**
20 m / 10 m
-  **Voltage**
220-240V
-  **Frequency**
50-60 Hz
-  **Weight**
21 Kg
-  **Carton Qty.**
2

SP-2541

-  **Power**
1000W
-  **Load Capacity**
250/500 Kg
-  **Cable Length**
20 m / 10 m
-  **Voltage**
220-240V
-  **Frequency**
50-60 Hz
-  **Weight**
31 Kg
-  **Carton Qty.**
2

SP-2542

-  **Power**
1300W
-  **Load Capacity**
400/800 Kg
-  **Cable Length**
20 m / 10 m
-  **Voltage**
220-240V
-  **Frequency**
50-60 Hz
-  **Weight**
33 Kg
-  **Carton Qty.**
2

SP-2543

-  **Power**
1600W
-  **Load Capacity**
600/1200 Kg
-  **Cable Length**
20 m / 10 m
-  **Voltage**
220-240V
-  **Frequency**
50-60 Hz
-  **Weight**
28 Kg
-  **Carton Qty.**
1



CHAIN BLOCK

CODE	TON	METRE	
SP-CH1T3M	1	3 m	-
SP-CH1T5M	1	5 m	-
SP-CH2T3M	2	3 m	-
SP-CH2T5M	2	5 m	-
SP-CH3T3M	3	3 m	-
SP-CH3T5M	3	5 m	-
SP-CH5T3M	5	3 m	-
SP-CH5T5M	5	5 m	-
SP-CH10T5M	10	5 m	-



LEVER HOIST

CODE	TON	METRE	
SP-L075T1.5M	0.75	1.5 m	-
SP-L1.5T1.5M	1.5	1.5 m	-
SP-L3T1.5M	3	1.5 m	-
SP-L6T1.5M	6	1.5 m	-



STANT PAKETLERİ

**SINGLE
STANT**



**DOUBLE
STANT**



**TRIPLE
STANT**



SP-STANT001

SINGLE STANT PACKAGE


32 PCS


*Stand images are for illustration purposes only

CODE	PRODUCT DESCRIPTION	QTY.
BS16V-1045	BLACK SPARK CORDLESS IMPACT DRILL 45 Nm	2
BS20V-1380	BLACK SPARK CORDLESS IMPACT DRILL 80 Nm	3
BS20V-350N	BLACK SPARK CORDLESS IMPACT WRENCH 350 NM	1
BS20V-115/125A	BLACK SPARK CORDLESS ANGLE GRINDER 125 mm	2
BS20V-PS30MM	BLACK SPARK CORDLESS PRUNING SHEARS	1
SP20V-4041	CORDLESS IMPACT DRILL 80 Nm	2
SP20V-4044	CORDLESS IMPACT WRENCH & DRIVER 280 Nm	1
SP-6021A	ELECTRIC IMPACT DRILL 650W	2
SP-7010A	ROTARY HAMMER 24 mm	2
SP-5018	ANGLE GRINDER 900W 115 mm	2
SP-5019	ANGLE GRINDER 750W 115 mm	3
SP-5024	ANGLE GRINDER 2200W 180 mm	2
SP-9012	CIRCULAR SAW 185 mm	1
SP-9052	JIGSAW 450W	2
SP-2040A	HEAT GUN	1
SP-2010	BLOWER & VACUUM 400W	1
SP-9021	ORBITAL SANDER 320W	1
SP-2076	BENCH GRINDER 8"	1
SP-2018	PRESSURE WASHER 135 Bar	1
SP-2650LCE/SL	SILENT AIR COMPRESSOR 50 L	1

- One SPECCO display stand will be supplied free of charge with each order placed from the product list above.
- Stand Dimensions (Height: 215 cm, Width: 100 cm, Depth: 45 cm)

SP-STANT002

DOUBLE STANT PACKAGE


45 PCS


*Stand images are for illustration purposes only

CODE	PRODUCT DESCRIPTION	QTY.
BS16V-1045	BLACK SPARK CORDLESS IMPACT DRILL 45 Nm	2
BS20V-1380	BLACK SPARK CORDLESS IMPACT DRILL 80 Nm	3
BS20V-350N	BLACK SPARK CORDLESS IMPACT WRENCH 350 NM	1
BS20V-SDS26	BLACK SPARK CORDLESS ROTARY HAMMER	1
BS20V-PS30MM	BLACK SPARK CORDLESS PRUNING SHEARS	1
BS20V-20CMS	BLACK SPARK CORDLESS PRUNING SAW	1
BS20V-30CMS	BLACK SPARK CORDLESS CHAINSAW	1
SP12V-4012	CORDLESS DRILL & DRIVER 12V	1
SP16V-4016	CORDLESS IMPACT DRILL & DRIVER 16V	1
SP20V-4041	CORDLESS IMPACT DRILL 80 Nm	2
SP20V-4044	CORDLESS IMPACT WRENCH & DRIVER 280 Nm	1
SP20V-4042B	CORDLESS ANGLE GRINDER 125 mm	2
SP20V-4070	CORDLESS CIRCULAR SAW 165 mm	1
SP20V-5052	CORDLESS JIGSAW	1
SP20V-4048	CORDLESS PRESSURE WASHER	1
SP-6021A	ELECTRIC IMPACT DRILL 650W	2
SP-7010A	ROTARY HAMMER 24 mm	1
SP-7012	ROTARY HAMMER 28 mm	1
SP-5018	ANGLE GRINDER 900W 115 mm	3
SP-5019	ANGLE GRINDER 750W 115 mm	3
SP-5024	ANGLE GRINDER 2200W 180 mm	2
SP-5030	POLISHER 1300W 180 mm	1
SP-9012	CIRCULAR SAW 185 mm	1
SP-9052	JIGSAW 450W	2
SP-2055	RECIPROCATING SAW 850W	1
SP-9065	MITER SAW 210 mm	1
SP-2040A	HEAT GUN	1
SP-2010	BLOWER & VACUUM 400W	1
SP-9021	ORBITAL SANDER 320W	1
SP-5042	LONG DIE GRINDER 650W	1
SP-2075	BENCH GRINDER 6"	1
SP-2076	BENCH GRINDER 8"	1
SP-2018	PRESSURE WASHER 135 Bar	1
SP-2114	PAINT & MORTAR MIXER 1400W	1
SP-2595	DRILL PRESS 13 mm	1

- Two SPECCO display stands will be supplied free of charge with each order placed from the product list above.
- Stand Dimensions (Height: 215 cm, Width: 100 cm, Depth: 45 cm)

SP-STANT003

TRIPLE STANT PACKAGE



54 PCS



*Stand images are for illustration purposes only

CODE	PRODUCT DESCRIPTION	QTY.
BS16V-1045	BLACK SPARK CORDLESS IMPACT DRILL 45 Nm	2
BS20V-1380	BLACK SPARK CORDLESS IMPACT DRILL 80 Nm	3
BS20V-350N	BLACK SPARK CORDLESS IMPACT WRENCH 350 NM	1
BS20V-SDS26	BLACK SPARK CORDLESS ROTARY HAMMER	1
BS20V-115/125A	BLACK SPARK CORDLESS ANGLE GRINDER 125 mm	2
BS20V-PS30MM	BLACK SPARK CORDLESS PRUNING SHEARS	1
BS20V-20CMS	BLACK SPARK CORDLESS PRUNING SAW	1
BS20V-30CMS	BLACK SPARK CORDLESS CHAINSAW	1
SP12V-4012	CORDLESS DRILL & DRIVER 12V	1
SP16V-4016	CORDLESS IMPACT DRILL & DRIVER 16V	1
SP20V-4041	CORDLESS IMPACT DRILL 80 Nm	2
SP20V-4044	CORDLESS IMPACT WRENCH & DRIVER 280 Nm	1
SP20V-4042B	CORDLESS ANGLE GRINDER 125 mm	2
SP20V-4070	CORDLESS CIRCULAR SAW 165 mm	1
SP20V-5052	CORDLESS JIGSAW	1
SP20V-4048	CORDLESS PRESSURE WASHER	1
SP3.6V-3011	CORDLESS SCREWDRIVER SET 3.6V	1
SP-6021A	ELECTRIC IMPACT DRILL 650W	2
SP-6016A	ELECTRIC IMPACT DRILL 850W	1
SP-7010A	ROTARY HAMMER 24 mm	1
SP-7012	ROTARY HAMMER 28 mm	1
SP-7022	DEMOLITION HAMMER 11 Kg	1
SP-5014	ANGLE GRINDER 1200W 125 mm	1
SP-5018	ANGLE GRINDER 900W 115 mm	3
SP-5019	ANGLE GRINDER 750W 115 mm	3
SP-5023	ANGLE GRINDER 2400W 230 mm	1
SP-5024	ANGLE GRINDER 2200W 180 mm	1
SP-5030	POLISHER 1300W 180 mm	1
SP-9011	CIRCULAR SAW 235 mm	1
SP-9012	CIRCULAR SAW 185 mm	1
SP-9052	JIGSAW 450W	2
SP-2055	RECIPROCATING SAW 850W	1
SP-2052	CUT-OFF SAW 2350W	1
SP-9065	MITER SAW 210 mm	1
SP-2040A	HEAT GUN	1
SP-2030	ELECTRIC IMPACT WRENCH 900W	1
SP-2010	BLOWER & VACUUM 400W	1
SP-9021	ORBITAL SANDER 320W	1
SP-9040	ELECTRIC PLANER 750W	1
SP-5042	LONG DIE GRINDER 650W	1
SP-2060	PAINT SPRAYER 550W	1
SP-2075	BENCH GRINDER 6"	1
SP-2076	BENCH GRINDER 8"	1
SP-9031	ELECTRIC ROUTER 1800W	1
SP-2018	PRESSURE WASHER 135 Bar	1
SP-2114	PAINT & MORTAR MIXER 1400W	1
SP-2595	DRILL PRESS 13 mm	1
SP-2596	DRILL PRESS 16 mm	1
SP-2650LCE/SL	SILENT AIR COMPRESSOR 50 L	1

- Three SPECCO display stands will be supplied free of charge with each order placed from the product list above.
- Stand Dimensions (Height: 215 cm, Width: 100 cm, Depth: 45 cm)

NOTES:

NOTES:



www.speccotools.com

CONTACT INFORMATION

www.speccotools.com

Email: sales@speccotools.com

Address: Room 716-718, No.9, Renmin East Road, Yangshe Town,
Zhangjiagang City (Cathay Oriental Plaza)

Mob / WhatsApp / WeChat: 008613776260268 / 008613921999979